

# Product datasheet

Specifications



## APC Smart-UPS RT 192V RM Battery Pack



SURT192RMXLBP

EAN Code: 3606485318943

### Main

Product or component type	External battery pack
Number of rack unit	3U
Number of cables	1.0
Battery type	Lead-acid battery
Provided equipment	Installation guide Rack mounting brackets User manual
Range of product	Smart-UPS Battery Systems
Replacement battery	<a href="#">APCRBC140</a>

### Batteries & Runtime

Number of battery blocks per string	16
Number of battery free slots	0
Number of battery filled slots	4
Device mounting	Stand alone battery stack
Battery voltage	192 V
Additional information	Replace all batteries in operation together (UPS internal and external batteries) all-at-once
Number of battery replacement quantity	2

### Physical

Colour	Black
Height	130 mm
Width	432 mm
Depth	660 mm
Product weight	90.91 kg
Mounting mode	Rack-mounted

### Output

Battery capacity	19 Ah
------------------	-------

### Environmental

Ambient air temperature for operation	0...40 °C
---------------------------------------	-----------

---

<b>Operating altitude</b>	0...10000 ft
<b>Relative humidity</b>	0...95 % non-condensing
<b>Ambient air temperature for storage</b>	-15...45 °C
<b>Storage altitude</b>	0...15240 m
<b>Storage Relative Humidity</b>	0...95 % non-condensing

---

## Packing Units

---

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	41.3 cm
<b>Package 1 Width</b>	100 cm
<b>Package 1 Length</b>	60 cm
<b>Package 1 Weight</b>	101.36 kg

---

## Logistical informations

---

<b>Country of origin</b>	IN
--------------------------	----

---

## Contractual warranty

---

<b>Warranty (in months)</b>	24
-----------------------------	----

---



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	464 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	375 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	25 kg CO2 eq.
Carbon footprint of the installation phase [A5]	29 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	35 kg CO2 eq.

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	5ac12844-46eb-471b-94f1-318e06a714a6
EU RoHS Directive	<a href="#">Compliant</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

End of life manual availability	<a href="#">End of Life Information</a>
Removable battery	User replaceable
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins