

ACCESSORIES

1
YEAR
WARRANTY

UNIVERSAL SHOULDER STRAP

WITH SAFETY RELEASE SYSTEM + UNIVERSAL TEXTILE RING

Ref. 001084

High strength shoulder strap



High resistance strap (Polyester), adjustable length from 90 to 170 cm, width: 2,5 cm,

1 attachment point



The shoulder strap and the universal ring allow to hang the terminal in a single point

Universal textile ring



Fixing system compatible with 99% of the terminals - With or without protective shell. Length 10cm

*Case not included

Security



Safe transport: automatic opening above 7kg pull

Comfortable shoulder strap



Comfortable and removable shoulder strap

SPECIFICATIONS

Ref	Product	EAN Code	Packed product weight
001084	Universal breakaway shoulder strap + textile hook - 1 attachment point	3700992527956	67 g

Adjustable length	Width
90 à 170 cm	25 mm

datacapture.mobiliscase.com

@MOBILIS DataCapture
 @Mobiliscase DataCapture
 @Mobiliscase
 @Mobiliscase

MOBILISDATACAPTURE®, the MOBILISDATACAPTURE® logos (logo MOBILIS DATACAPTURE®, logo MOBILIS® DC et logo M), and other distinctive signs appearing on this file are trademarks of MOBILIS DEVELOPMENT. All logos are also protected by Copyright. Non-contractual pictures.



ACCESSORIES

INSTALLATION DE LA BOUCLE TEXTILE DANS LE TERMINAL OU LA COQUE INSTALLATION OF THE TEXTILE HOOK IN THE TERMINAL OR THE CASE



REF 001084

COMPATIBLE AVEC 99% DES TERMINAUX DU MARCHÉ
COMPATIBLE WITH 99% OF THE TERMINALS ON THE MARKET

- 1** PASSER LA FLÈCHE VERS LE BAS DANS L'ENCOCHE DU TERMINAL OU DE LA COQUE
PASS THE DOWNWARD ARROW THROUGH THE NOTCH OF THE TERMINAL OR THE CASE



- 2** REPLACER LA FLÈCHE VERS LE HAUT ET LA PASSER DANS LA FENTE DE LA BANDE TEXTILE
REPLACE THE ARROW UPWARDS AND PASS IT THROUGH THE SLOT OF THE TEXTILE BAND



ACCROCHER L'ANNEAU TEXTILE À LA BANDOULIÈRE
HANG THE TEXTILE RING ON THE SHOULDER STRAP



ACCESSORIES

SYSTÈME DE SÉCURITÉ SAFETY SYSTEM

REF 001084

1 OUVERTURE AUTOMATIQUE DE LA BOUCLE DE SÉCURITÉ AU DESSUS DE 7KG DE TRACTION AUTOMATIC OPENING OF THE SAFETY BUCKLE ABOVE 7KG PULL



2 FERMETURE DU SYSTÈME DE SÉCURITÉ CLOSING OF THE SECURITY SYSTEM

