

# Delock USB Type-C™ Adapter to HDMI (DP Alt Mode) 8K with HDR function black

## Description

This adapter by Delock is suitable for the connection of a **HDMI** monitor in **8K Ultra HD** (7680 x 4320 @ 30 Hz) resolution to a computer with USB-C™ interface and DisplayPort alternate mode support. Thus, the adapter can be connected to different laptops like MacBook, Chromebook and similar. In addition, the adapter can also be operated on a Thunderbolt™ 3 interface.



**Item no. 64175**

EAN: 4043619641758

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x USB Type-C™ male
  - 1 x HDMI female
- Chipset: VIA VL103 + Synaptics VMM6100
- DisplayPort 1.4 specification
- Resolution up to 7680 x 4320 @ 30 Hz (depending on the system and the connected hardware)
- Transmission of audio and video signals
- Supports 3D displays
- Supports HDR10
- Supports HDCP 1.4 and 2.3
- USB bus powered
- Plug & Play
- Housing material: plastic
- Cable length without connectors: ca. 15 cm
- Colour: black

## System requirements

- Android 10.0 or above
- Chrome OS 91.0 or above
- Linux Kernel 5.11 or above
- Mac OS 11.2.3 or above
- Windows 8.1/8.1-64/10/10-64/11
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- Surface Pro 7
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

---

## Package content

- USB-C™ to HDMI adapter

---

## Images



## General

|                             |                                                                                                                                                                                                                                                                                                           |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Function:                   | Plug & Play                                                                                                                                                                                                                                                                                               |
| Specification:              | HDCP 1.4<br>HDR10<br>HDCP 2.3                                                                                                                                                                                                                                                                             |
| Supported operating system: | Surface Pro 7<br>Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>Android 10.0 or above<br>iPad Pro (3rd Generation) or above<br>iPad Air (4th Generation) or above<br>Mac OS 11.2.3 or above<br>Windows 11<br>Linux Kernel 5.11 or above<br>Chrome OS 91.0 or above |

## Interface

|         |                      |
|---------|----------------------|
| Output: | 1 x HDMI-A female    |
| Input:  | 1 x USB Type-C™ male |

## Technical characteristics

|                            |                                |
|----------------------------|--------------------------------|
| Chipset:                   | VIA VL103<br>Synaptics VMM6100 |
| Maximum screen resolution: | 7680 x 4320 @ 30 Hz            |
| Signal transmission:       | video<br>audio                 |

## Physical characteristics

|                   |         |
|-------------------|---------|
| Housing material: | Plastic |
| Cable length:     | 15 cm   |
| Colour:           | black   |