

- Portable heavy-duty mobile cart
- Supports two displays up to 80 kg (176 lb) in total
- Centre camera shelf included
- 800 mm (31.5") height adjustment, motorised
- Control by wired controller or RS-232
- Removable wheels for non-portable variation
- Removable rear legs to lean against walls



Need to install a Microsoft Teams or Zoom room? Vision's VFM-F50T Dual trolley makes it easy to install two displays on one floor stand. This kit comprises the portable F50T with a dual-display adaptor rail, and a second wall mount.

The F50T has motorised height adjustment so with a one-button press, you can raise it so you can raise it high for bigger rooms, or lower it to align with the height of a meeting table.

### Components included:

#### SWL 80 kg (176 lbs)

The F50T uses heavy-gauge components to take the weight, and a linear drive with twin drive shafts to power the vertical motion. The weight of all displays combined cannot exceed this.

#### Four cartons

This kit contains 1 x VFM-F50T floor stand (comes in two cartons strapped together), 1 x VFM-F50\_DL rail accessory, and 1 x VFM-W8X6 wall mount. If you need a different combination you can order each part separately.

#### Wired Control or RS-232

A wired remote control is included with simple up and down functions. It fixes to the rear of the display with an adhesive sticker. Alternatively, use a control system to activate the F50T via RS-232 and add pre-set positions, and upper and lower limits.

#### 4" Wheels

Medical-grade 4" (100 mm) castors glide over any bumps, making the stand easy to pull even on deep carpet. Big wheels reduce vibration of your expensive AV equipment. All wheels are lockable.

#### Hide Mess

Generous cable entry holes make routing cables quick and easy. The front cover can be removed for end users to easily access anything they need. There is also plenty of space to hide cables, media players, mini PCs, and power distribution boards inside the column.

#### Landscape or Portrait

Vision's VESA mounts support portrait or landscape orientation.

#### 800 mm / 31.5" Motorised Height Adjustment

The height of the display can be altered to suit the audience thanks to motorised height adjustment. The telescopic column movement range is 800 mm / 31.5".

#### Increased Safety

If there is obstruction under the display as it is lowered, the weight of the display simply rests on top of the obstruction. It does not pull down and crush the obstruction. There is safety sensor which sensors obstacles and will stop the motor.

### Camera Shelf

A centre shelf is included. It can support a camera above, below, or in the centre between the two screens. If the camera is smaller like the Logitech Brio, the platform part of the shelf assembly can be left off to make it less obtrusive.

Putting the camera at the centre of the two screens creates a more natural impression of eye contact for the remote participants.

### 2 x Displays

Support two displays from 55" to 86". Each display can weight up to 40 kg. The aluminium rail comes in three parts and allows side to side adjustment of the displays.

### Non-Portable Variation

We know sometimes users need a non-portable free-standing solution, so simply remove the wheels and fit the adjustable feet. The feet are low profile to reduce trip hazards.

### Glass Walls

If you have a meeting room with a non-structural or glass wall the F50T feet can be reconfigured to safely support the stand leaning against the glass. Removing the wheels and changing the rear leg angle allows positioning of the display hard up against the back wall safely, without placing any load on the wall.

## SPECIFICATIONS

### VFM-F50T/D Motorised Dual Flat Panel Floor Stand

#### PRODUCT DIMENSIONS

See CAD

#### SAFE WORKING LOAD

80 kg / 176 lbs (40 kg / 88 lbs per display)

#### CONSTRUCTION MATERIAL

Steel, Aluminium

#### COLOUR

Powercoated Matt Black

#### VESA SIZES

800 x 600 mm 800 x 500 mm 800 x 400 mm 600 x 600 mm 600 x 500 mm 600 x 400 mm 500 x 500 mm 500 x 400 mm 400 x 600 mm 400 x 400 mm 400 x 300 mm 400 x 200 mm 300 x 400 mm 300 x 300 mm

#### MOTOR TYPE

Linear-drive

#### MOVEMENT SPEED

16 mm / 0.6" per second

#### HEIGHT ADJUSTMENT RANGE

800 mm / 31.5"

#### ACCESSORIES INCLUDED

1 x EU Figure-8 C7 Power cable 2.5 m (8 ft) long 1 x UK Figure-8 C7 Power cable 2.5 m (8 ft) long 1 x AU Figure-8 C7 Power cable 2.5 m (8 ft) long 1 x US Figure-8 C7 Power cable 2.5 m (8 ft) long (removed after Sep 23) 1 x Remote Control with cable 1.5 m (5 ft) long 2 x Wall Brackets 8 x M5 16 mm screw 8 x M6 16 mm screw 8 x M6 25 mm screw 8 x M8 30 mm screw 8 x M8 50 mm screw 8 x 15 mm thick nylon spacers (for 2S 85" Microsoft Surface Hub) 8 x 20 mm thick nylon spacers (for 2S 85" Microsoft Surface Hub) 1 x Camera Shelf 2 x Extrusion end covers 12 x T-Slot M6 Bolts with T-Slot nuts

#### POWER SUPPLY

110-230V Integrated Power Supply

#### WARRANTY

Lifetime return-to-base UK Only: 5 years onsite, 1 engineer provided so requires assistance

#### COMPLIANCES

RoHS, WEEE, FCC, CE/EMC, CE/LVD, RCM/DOC, RCM/POC ADA Compliant (Americans with Disability Act)

