

# Delock PCI Express x16 Card to 4 x internal SFF-8654 4i NVMe - Bifurcation

## Description


This PCI Express card by Delock expands the PC by four SFF-8654 interfaces. **SSDs with e.g. U.2 interface** can be connected to these ports by using an optional cable. The card transmits PCI Express signals using the NVMe protocol.

## PCIe Bifurcation

The card requires the **PCIe bifurcation** of the motherboard to split the PCIe signal in order to use multiple ports.

## Note

Without PCIe bifurcation only the first SFF-8654 port of the card can be used.



**Item no. 90111**

EAN: 4043619901111

Country of origin: Taiwan,  
Republic of China

Package: White Box

## Technical details

- IOI item number: QIP4X-PCIE16XB03
- Connectors:
  - internal:
    - 4 x 38 pin SFF-8654 4i female
    - 1 x PCI Express x16, V5.0
    - 2 x 2 pin 3.3 V power output
- Supports NVM Express (NVMe)
- Bootable


## System requirements

- Linux Kernel 3.16 or above
- Windows 8.1/8.1-64/10/10-64
- PC with one free PCI Express x16 / x32 slot
- Motherboard and BIOS with PCIe bifurcation support

## Package content

- PCI Express card

## Images



## General

Function:	NVM Express (NVMe)
Supported operating system:	Linux Kernel 3.16 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

## Interface

Connector 1:	4 x 38 pin SFF-8654 4i female
Connector 2:	1 x PCI Express x16, V5.0
connector 3:	2 x 2 pin 3.3 V power output