

Delock M12 Adapter X-coded 8 pin male to RJ45 jack straight

Description

This industrial Ethernet adapter by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.

Einbau in Schaltschrank

Due to its compact dimensions, the adapter is very well suited for installation in a switch cabinet. Devices with M12 connectors can be integrated into an existing network structure.



Item no. 60065

EAN: 4043619600656

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x M12 male 8 pin X-coded
 - 1 x RJ45 jack
- Cat.6A specification
- Housing material: PUR (TPU)
- M16 external thread
- Contacts gold-plated
- Operating voltage: max. 48 V
- Current: max. 500 mA
- Operating temperature: -25 °C ~ 85 °C
- Protection class: IP67 (M12)
- Colour: black
- Dimensions (LxWxH): ca. 47.0 x 19.6 x 25.0 mm

System requirements


- A free M12 female port

- A free RJ45 plug

Package content

- Adapter

Images



General

Specification:	Cat. 6A
----------------	---------

Interface

Connector 1:	1 x M12 male X-coded 8 pin
Connector 2:	1 x RJ45 jack

Technical characteristics

Operating voltage:	48 V
Operating temperature:	-25 °C ~ 85 °C
Current consumption:	500 mA

Physical characteristics

Housing material:	TPU
Pin finishing:	gold-plated
Length:	47 mm
Width:	19 mm
Height:	19 mm
Colour:	black