Powers large workflows. Fits a tiny space.

Tackle workflows you never thought before possible on such a tiny PC. The HP Z2 Mini easily fits on your desk or behind your monitor so you can tackle 3D projects without losing valuable office space. All while feeling protected From the BIOS to the browser, above, in, and below the OS with HP Wolf Security Suite.

Unprecedented Z mini power²

Tackle workflows you never thought possible on such a sleek, tiny PC. Now, get standard low-profile NVIDIA® RTX graphics in a Z2 Mini, combined with Intel® Core™ processors, including K-Series, for seamless design, rendering and simulation.

Fits anywhere

Create your ideal workspace whether you're working in an office or your home. With a versatile, contemporary design, proudly set it on your desk, mount it behind your monitor, attach it under your desk or rackmount it in your datacenter³—even take it to and from the office.

Engineered to evolve

The Z2 Mini is ready to evolve with your workflow. A new slide-out design provides tool-free interior access to standard-sized components so you can easily swap graphics and memory. Easily connect to essential peripherals with plenty of built-in I/O.



*Product image may differ from actual product

Sustainability in action

Industry leading security. Reliability you can trust

Get peace of mind with a PC that's built to endure. The Z2 Mini undergoes 360K hours of rigorous testing, military-standard testing⁵ and is certified for pro apps. And with HP Wolf Security for Business⁴, it's protected below, in and above the OS.



Featuring

Operating Systems

Support your unique user needs with a choice of Windows 11 Pro, WSL2 or Linux® operating systems.

Intel® Core™ Processors

Bring your ideas to life quickly and run multiple apps simultaneously with the latest Intel® Core™ vPro®7 processors. For added performance, choose the K-Series.8

Professional Graphics

Design, render and simulate seamlessly with up to NVIDIA RTX 4000 SFF Ada graphics with PCIe G5 high speed bandwidth.9

Memory

Experience fast performance when working on complex design tasks with 2 DIMMS for up to 64GB DDR5 memory at an increased memory speed of up to 4800MHz.¹⁰

Storage

Get up to 8TB with dual M.2 storage slots and RAID data storage capabilites for added performance or reliability. 11

Flexible I/O Modules

Configure to the needs of today with flexibility for the future with up to two flexible I/O ports and 13 I/O options to fill them with, including DP 1.4, VGA, HDMI, Dual USB Type-A, USB Type-C® with Alt-DP or 2nd Serial and more. 12

Multi-Display Support

See all your windows in perfect detail with support for up to 8 displays at 4K resolution 13

WiFi Connectivity

Wi-Fi 7 offers up to 2.5 faster file transfer speeds than Wi-Fi $6E.^{14}$

ISV Certified

Work with confidence knowing your desktop is certified with leading software applications to ensure peak performance. 15

HP Wolf Security

HP Wolf Security for Business¹⁶ creates a hardware-enforced, always-on, resilient defense. From the BIOS to the browser, above, in, and below the OS, these constantly evolving solutions help protect your PC from modern threats.

Tool-less Access

Evolve your work. Evolve your rig. With a tool-less sliding access cover, you can easily get into the the interior, and customize your Z to fit your needs.

Network Connectivity

Connect and collaborate quickly with 10Gb Ethernet interface.



Technical specifications

Available Operating System	18

Windows 11 Pro Windows 11 Home - HP recommends Windows 11 Pro for business

Windows 110 Pro (available through downgrade rights from Windows 11 Pro)^{1,3} Linux* Ready²⁸ Ubuntu 20.04 LTS²⁵

ocessor family

13th Generation Intel® Core™ i9 processor 13th Generation Intel® Core™ i7 processor 13th Generation Intel® Core™ i5 processor 12th Generation Intel® Core™ i9 processor 12th Generation Intel® Core™ i7 processor 12th Generation Intel® Core™ i5 processor 12th Generation Intel® Core™ i3 processor Intel® Core™ I5 14th generation processor Intel® Core™ I7 14th generation processor Intel® Core™ I9 14th generation processor Intel® Core™ I9 14th generation processor

Intel® Core® i5-12500 with Intel® UHD Graphics (3.0 GHz P-core base frequency, up to 4.6 GHz P-core Max Turbo frequency, 18 MB L3 cache, 6 P-cores, 12 threads), supports Intel® vPro® Technology Intel® Core® i3-12100 with Intel® UHD Graphics (3.3 GHz P-core base frequency, up to 4.3 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Core® i9-12900 with Intel® UHD Graphics (1.8 GHz E-core base frequency, 2.4 GHz P-core base frequency, up to 3.8 GHz E-core Max Turbo frequency, up to 5.16 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 8 P-cores and 8 E-cores, 24 threads) Intel® Core® i7-12700 with Intel® UHD Graphics (1.6 GHz E-core base frequency, up to 3.6 GHz E-core Max Turbo frequency, up to 4.8 GHz P-core Max Turbo frequency, up to 3.6 GHz E-core Max Turbo frequency, up to 4.8 GHz P-core Max Turbo frequency, up to 3.6 GHz E-core Max Turbo frequency, up to 4.8 GHz P-core Max Turbo frequency, up to 4.9 GHz

up to 4.9 GHz with Intel® Turbo Boost Technology, 25 MB L3 cache, 8 P-cores and 4 E-cores, 20 threads)
Intel® Core® 15-13400 (1.8 GHz E-core base frequency, 2.5 GHz P-core base frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, 20 MB L3 cache, 6 P-cores and 4 E-cores, 21 threads)
Intel® Core® 15-13500 (1.8 GHz E-core base frequency, 2.5 GHz P-core base frequency, up to 3.5 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, 24 MB L3 cache, 6 P-cores Max Turbo frequency, 25 GHz P-core base frequency, up to 3.5 GHz E-core Max Turbo frequency, up to 4.8 GHz P-core Max Turbo frequency, 24 MB L3 cache, 6 P-core Max Turbo frequency, up to 4.8 GHz P-core Max Turbo frequency, 24 MB L3 cache, 6 P-core Max Turbo frequency, up to 4.8 GHz P-core Max Turbo frequency, 25 GHz P-core Max Turbo frequency, 26 MB L3 cache, 6 P-core Max Turbo frequency, 27 MB L3 cache, 6 P-core Max Turbo frequency, 28 MB L3 cache, 6 P-core Max Turbo frequency, 29 MB L3 cache, 6 P-core Max Turbo frequency, 29 MB L3 cache, 6 P-core Max Turbo frequency, 29 MB L3 cache, 6 P-core Max Turbo frequency, 29 MB L3 cache, 6 P-core Max Turbo frequency, 29 MB L3 cache, 6 P-core Max Turbo frequency, 29 MB L3 cache, 6 P-core Max Turbo frequency, 29 MB L3 cache, 6 P-core Max Turbo frequency, 29 MB L3 cache, 6 P-core Max Turbo frequency, 20 MB L3 cache, 6 P-core Max Turbo frequency, 20 MB L3 cache, 6 P-core Max Turbo frequency, 20 MB L3 cache, 6 P-core Max Turbo frequency, 20 MB L3 cache, 6 P-core Max Turbo frequency, 20 MB L3 cache, 6 P-core Max Turbo frequency, 20 MB L3 cache, 6 P-core Max Turbo frequency, 20 MB L3 cache, 6 P-core Max Turbo frequency, 20 MB L3 cache, 6 P-core Max Turbo frequency, 20 MB L3 cache, 6 P-core Max Turbo frequency, 20 MB L3 cache, 6 P-core Max Turbo frequency, 20 MB L3 cache, 6 P-core Max Turbo frequency, 20 MB L3 cache, 6 P-core Max Turbo frequency, 20 MB L3 cache, 6 P-core Max Turbo frequency, 20 MB L3 cache, 6 P-core Max Turbo frequency, 20 MB L3 cache, 6 P-core Max T

cores and 8 E-cores, 20 threads)

Intel® Core® 15-13600 (2.0 GHz E-core base frequency, 2.7 GHz P-core base frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, 24 MB L3 cache, 6 P-cores and 8 E-cores, 20 threads)
Intel® Core® 15-13600 (K (2.6 GHz E-core base frequency, 3.5 GHz P-core base frequency, up to 3.9 GHz E-core Max Turbo frequency, up to 5.1 GHz P-core Max Turbo frequency, 24 MB L3 cache, 6 P-core Max Turbo frequency, up to 5.1 GHz P-core Max Turbo frequency, 24 MB L3 cache, 6 P-core Max Turbo frequency, up to 5.1 GHz P-core Max Turbo frequency, 24 MB L3 cache, 6 P-core Max Turbo frequency, up to 5.1 GHz P-core Max Turbo frequency, up to 5.1 GHz P-core Max Turbo frequency, up to 5.1 GHz P-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up

cores and 8 E-cores, 20 threads) Intel® Core™ 17:13700 (1.5 GHz E-core base frequency, 2.1 GHz P-core base frequency, up to 4.1 GHz E-core Max Turbo frequency, up to 5.1 GHz P-core Max Turbo frequency, 30 MB L3 cache, 8 P-cores

17:13700K (2.5 GHz E-core base frequency, 3.4 GHz P-core base frequency, up to 4.2 GHz E-core Max Turbo frequency, up to 5.3 GHz P-core Max Turbo frequency, 30 MB L3 cache, 8 P

cores and 8 E-cores, 24 threads) Intel® Core® 19-13900 (1.5 GHz E-core base frequency, 2.0 GHz P-core base frequency, up to 4.2 GHz E-core Max Turbo frequency, up to 5.2 GHz P-core Max Turbo frequency, 36 MB L3 cache, 8 P-

Intel® Core® 19-13900K (22 GHz E-core base frequency, 3.0 GHz P-core base frequency, up to 4.3 GHz E-core Max Turbo frequency, up to 5.4 GHz P-core Max Turbo frequency, 36 MB L3 cache, 8 P-land 19-13900K (22 GHz E-core base frequency, 3.0 GHz P-core base frequency, up to 4.3 GHz E-core Max Turbo frequency, up to 5.4 GHz P-core Max Turbo frequency, 36 MB L3 cache, 8 P-land 19-13900K (22 GHz E-core base frequency, 3.0 GHz P-core base frequency, up to 4.3 GHz E-core Max Turbo frequency, up to 5.4 GHz P-core Max Turbo frequency, 3.0 GHz P-core base frequency, 8 P-land 19-13900K (22 GHz E-core base frequency, 3.0 GHz P-core base frequency, 4.0 GHz P-core base frequency, 8 P-land 19-13900K (22 GHz E-core base frequency, 4.0 GHz P-core base frequency, 8 P-land 19-13900K (22 GHz E-core base frequency, 4.0 GHz P-core base frequency, 8 P-land 19-13900K (22 GHz E-core base frequency, 4.0 GHz P-core base frequency, 8 P-land 19-13900K (42 GHz E-core base frequency, 4.0 GHz P-core base frequency, 8 P-land 19-13900K (42 GHz E-core base frequency, 4.0 GHz P-core base frequency, 8 P-land 19-13900K (42 GHz E-core base frequency, 4.0 GHz P-core base frequency, 8 P-land 19-13900K (42 GHz E-core base frequency, 4.0 GHz P-core base frequency, 8 P-land 19-13900K (42 GHz E-core base frequency, 8 P-l

Intel® Core™ 17-14700 with Intel UHD Graphics (1.5 GHz E-core base frequency, 2.1 GHz P-core base frequency, up to 4.2 GHz E-core Max Turbo frequency, up to 5.3 GHz P-core Max Turbo frequency. 33 MB L3 cache 8 P-cores and 12 F-cores 28 threads

33 Mib L3 cadate, o P-cores and 12 = Carres, 26 unleads)
Intel® Core™ 15-14600 with Intel UHD Graphics (2.0 GHz E-core base frequency, 2.7 GHz P-core base frequency, up to 3.9 GHz E-core Max Turbo frequency, up to 5.2 GHz P-core Max Turbo frequency, 24 MB L3 cache, 6 P-cores and 8 E-cores, 20 threads)
Intel® Core™ 15-14500 with Intel UHD Graphics (1.9 GHz E-core base frequency, 2.6 GHz P-core base requency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequen

24 MB L3 cache, 6 P-cores and 8 E-cores, 20 threads)
Intel® Core® (5-14400 with Intel UHD Graphics (1.8 GHz E-core base frequency, 2.5 GHz P-core base requency, up to 3.5 GHz E-core Max Turbo frequency, up to 4.7 GHz P-core Max Turbo frequency, 20 MB L3 cache, 6 P-cores and 4 E-cores, 16 threads)

Intel® Core® 15-14600K with Intel UHD Graphics (2.6 GHz E-core base frequency, 3.5 GHz P-core base frequency, up to 4.2 GHz E-Core Max Turbo frequency, up to 5.3 GHz P-core Max Turbo

frequency, 24 MB L3 cache, 6 P-cores and 8 E-cores, 20 threads)

Intel® Core® 17-14700K with Intel UHD Graphics (2.5 GHz E-core base frequency, 3.4 GHz P-core base frequency, up to 4.3 GHz E-core Max Turbo frequency, up to 5.5 GHz P-core Max Turbo frequency, 3.8 MB L3 cache, 8 P-cores and 12 E-cores, 28 threads)

Intel® Core® 19-14900 with Intel UHD Graphics 770 (1.5 GHz E-core base frequency, 2.0 GHz P-core base frequency, up to 4.3 GHz E-core Max Turbo frequency, up to 5.4 GHz P-core Max Turbo frequency, 36 MB L3 cache, 8 P-cores and 16 E-cores, 32 threads) Intel® Core® 19-14900K with Intel UHD Graphics (24 GHz E-core base frequency, 3.2 GHz P-core base frequency, up to 4.4 GHz E-core Max Turbo frequency, up to 5.6 GHz P-core Max Turbo frequency, 3.2 GHz P-core base frequency, 3.2 GHz P-core base frequency, up to 4.4 GHz E-core Max Turbo frequency, up to 5.6 GHz P-core Max Turbo frequency, 36 MB L3 cache, 8 P-cores and 16 E-cores, 32 threads)

64 GB DDR5-4800 ECC SDRAM; 64 GB DDR5-4800 non-ECC SDRAM; 64 GB DDR5-5600 ECC SDRAM; 64 GB DDR5 5600 non-ECC SDRAM; ¹⁸ Transfer rates up to 5600 MT/s. Maximum memory 2 SODIMM 512 GB up to 4 TB HP Z Turbo Drive PCle® NVMe™ M.2 SSD®

Integrated: Intel® UHD Graphics 770 Available Graphics

Discrete: NVIDIA* T400 (4 GB GDDR6 dedicated); NVIDIA* T1000 (4 GB GDDR6 dedicated); NVIDIA* T1000 8 GB; NVIDIA* T400 14 GB; NVIDIA* T600 4 GB; NVIDIA* T400 4 GB; NVIDIA* T600 4 GB; NVIDIA RTX** 4000 Ada Generation (20 GB GDDR6 dedicated); NVIDIA RTX** 2000 Ada Generation (16 GB GDDR6 dedicated); NVIDIA RTX** 4000 SFF Ada Generation (20 GB GDDR6 dedicated)

Realtek ALC3205-VA2-CG, 2.0W internal mono speaker

2 M.2 2280 PCIe 4 x4; 1 M.2 2230 for WLAN; 1 PCIe® 4 x8 (PCIe Low Profile connector) **Expansion slots**

256 GB up to 1 TB PCle® NVMe™ Value M.2 SSD

512 GB up to 4 TB HP Z Turbo Drive PCle® NVMe™ Opal 2 M.2 SSD®

Side: 1 headphone/microphone combo; 1 SuperSpeed USB Type-A 10Gbps signaling rate (1 charging); 2 SuperSpeed USB Type-C* 20Gbps signaling rate; Rear: 1 RJ-45; 2 DisplayPort**1.4; 3 SuperSpeed USB Type-A 10Gbps signaling rate (1 charging); 2 SuperSpeed USB Type-C* 20Gbps signaling rate; Rear: 1 RJ-45; 2 DisplayPort**1.4; 3 SuperSpeed USB Type-A 10Gbps signaling rate (1 DisplayPort**1.4 HBR3, 1 HDMI 2.0b, 1 VGA, 1 Dual SuperSpeed USB Type-A 5Gbps signaling rate, 1 SuperSpeed USB Type-C* 10Gbps signaling rate; 1 SuperSpeed USB Type-C* 10Gbps signaling rate; 2 Signaling rate; 3 Right 2 Signaling rate; 3 Right 2 Signaling rate; 3 Right 2 Signaling rate; 4 Signaling rate; 4 Signaling rate; 5 Right 2 Signaling rate; 6 Right 2 Signaling rate; 8 Right 2 Signaling rate; 8 Right 2 Signaling rate; 8 Right 2 Signaling rate; 9 Rig

A 5Gbbs signaling rate, 1 SuperSpeed USB Type-C* 10Gbps signaling rate (USB Power Delivery, Alt Mode DisplayPort**), 1 GbE LAN, 1 Thunderbolt** 3 (40Gbps signaling rate) with SuperSpeed USB Type-C* 10Gbps signaling rate, 2.5 GbE LAN, 10GbE LAN(10GBase-T), USB-based Serial port option, 1GbE Fiber LC NIC, Optional cards with PCle bracket²⁴

HP Wired Desktop 320K keyboard; HP Wired Desktop 320MK Mouse and Keyboard; HP 125 Wired Keyboard; HP 655 Wireless Keyboard and mouse combo; HP 975 Wireless Keyboard; HP 455 Programmable Wireless Keyboard⁹; HP Wired Desktop 320M mouse; HP wired desktop 128 laser mouse; HP 125 Wired Mouse; HP Creator 935 Black Wireless Mouse⁹

 $LAN: Integrated Intel* 1219-LM PCle* GbE; \\ WLAN: Intel* Wi-Fi 6E AX211 (2x2) and Bluetooth* 5.3 wireless card; Intel* Wi-Fi 7 BE200 (2x2) and Bluetooth* 5.4 wireless card, non-vPro* and Bluetooth* 5.4 wireless card, non-vPro* (2x2) and Bluetooth* 5.4 wireless card, non-vPro* (2x2) and Bluetooth* (2x$

HP PC Hardware Diagnostics UEFI; HP Support Assistant; HP PC Hardware Diagnostics Windows; HP Privacy Settings; HP Desktop Support Utilities; HP Image Assistant; HP Manageability Integration KIt; HP Notifications; Performance Advisor 3.0; HP Data Science Stack; myHP^{116,19,27}; HP Easy Clean; HP Documentation; WPS Office; Touchpoint Customizer for Commercial; HP UWP Pack

HP Secure Erase; HP Sure Click; HP BIOSphere Gen6; HP Sure Admin; Hood Sensor Optional Kit; HP Client Security Manager Gen6; HP Sure Start Gen7; HP Sure Recover Gen4; HP Tamper Lock; HP Sure Sense Gen2: HP Sure Run Gen5

Security Software Licenses HP Wolf Pro Security Edition 56



Available Processors

Form factor

Internal storage

Ports and connectors

Input devices

Communications

Software

Audio

Technical specifications

•	
Management features	HP BIOS Configuration Utility (download); High performance Mode; Quite Mode; Rack Mode; HP Cloud Recovery; HP Client Catalog (download); HP Image Assistant (download); HP Client Management Script Library (download); HP System Software Manager (download); HP Driver Packs
Power	180 W external power adapter, up to 89% average efficiency, active PFC; 280 W external power adapter, up to 89% average efficiency, active PFC
Dimensions	21.1 x 21.8 x 6.9 cm; (Standard desktop orientation.); 49.9 x 17.0 x 29.8 cm (Package)
Weight	Starting at 2.4 kg; (Exact weight depends on configuration.)
Ecolabels	IT ECO Declaration; TCO Certified configurations available; EPEAT® Gold registered in the U.S. ¹⁷
Energy star certified	ENERGY STAR® certified
Sustainable impact specifications	80 Plus® Gold power supplies available; Bulk packaging available; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; 55% post-consumer recycled plastic; 15% ITE-derived closed loop plastic; Ocean-bound plastic in speaker enclosure and system fan ³³
Compatible displays	HP Z34C, Z40C, Z27Q G3, Z27K, and Z27XS G3 4k. All HP Z Displays and HP DreamColor Displays are supported. For more information see http://www.hp.com/go/zdisplays (Supports 8 displays, driving 8 displays requires the use of integrated and discrete graphics ports. Each source can drive a total of 4 displays. At least one of the integrated graphics ports need to drive two displays in a daisy chain configuration.)



Footnotes

Messaging Footnotes

- 1 Multi-core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering is not a measurement of higher performance.
- ² Power based on HP Z mini max processor, graphics, and memory.
- ³ Mounting hardware sold seperately.
- 4 HP Wolf Security for Business requires Windows 10 or higher, includes various HP security features and is available on HP Pro, Elite, RPOS and Workstation products. See product details for included security features and OS requirement.
- ⁵ MIL STD testing is not intended to demonstrate fitness for U.S. Department of Defense contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions. $Accidental\,Damage\,or\,damage\,under\,these\,test\,conditions\,requires\,an\,optional\,HP\,Accidental\,Damage\,Protection\,Care\,Pack.$
- 6 Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 11 Pro is automatically updated, which is always enabled, ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.
- 7 For full Intel® vPro® functionality, Windows 11 Pro 64 bit, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or WLAN card and TPM 2.0 are required. Some functionality requires additional 3rd party software in order to run. See http://intel.com/vpro

 8 Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary
- depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
- 10 Gen over gen.
- 11 For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 35GB of disk is reserved for system recovery software.
- ¹² Optional features that must be configured at purchase or are sold separately.
- 13 Support for up to 8 displays requires Intel® HD graphics and a discrete graphics card.
- 14 Based on HP internal testing using Chariot benchmark. Data rates subject to environment, network conditions, and other factors.
- ¹⁵ Third party software sold separately.
- 16 HP Wolf Security for Business requires Windows 10 or higher, includes various HP security features and is available on HP Pro, Elite, RPOS and Workstation products. See product details for included security features and

Specification Footnotes

- 1 Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 11 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com
- ² Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
- 3 This system is preinstalled with Windows 10 Pro software and also comes with a license for Windows 11 Pro software and provision for recovery software. You may only use one version of the Windows software at a time. Switching between versions will require you to uninstall one version and install the other version. You must back up all data (files, photos, etc.) before uninstalling and installing operating systems to avoid loss of your data. ⁴ HP Client Security Manager Gen6 requires Windows and is available on the select HP PCs.
- ⁵ For full Intel® vPro™ functionality, Windows 11 Pro 64 bit, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or WLAN card and TPM 2.0 are required. Some functionality requires additional 3rd party software in order to run. See http://intel.com/vpro

 6 Intel Turbo Boost performance varies depending on hardware, software and overall system configuration. See http://www.intel.com/technology/turboboost for more information.
- $^7\,\text{NVIDIA}^\circ\,\text{T400}$ (2 GB GDDR6 dedicated) may go End of Life in late 2022.
- 8 For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 36GB of system disk (for Windows 11) is reserved for system recovery software.
- ⁹ Keyboard and Mouse are optional or add on features.
- 10 HP BIOSphere Gen6 features may vary depending on the platform and configurations. $^{\cdot \cdot \cdot }$
- 11 HP Support Assistant requires Windows and Internet access.
- 12 HP Sure Click requires Windows 10 Pro or higher or Enterprise. See https://bit.ly/2PrLT6A_SureClick for complete details.
- 13 HP Sure Start Gen 6 is available on select HP PCs and workstations. See product specifications for availability.
- ¹⁴ 3 DisplayPort 1.4 in Performance model with discrete graphics.
- 15 HP Sure Run Gen3 is available on select Windows 11 based HP Pro, Elite and Workstation PCs with select Intel® or AMD processors
- 16 HP Performance Advisor Software HP Performance Advisor is ready to help you get the most out of your HP Workstation from day one—and every day after. Learn more or download at:
- 17 Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Visit www.epeat.net for more information.
- 18 Non-ECC memory is supported on all processors. ECC is only enabled on the following: Intel® Core™ i9-12900K Intel® Core™ i9-12900 Intel® Core™ i7-12700K Intel® Core™ i7-12700 Intel® Core™ i7-127 Intel® Core™ i5-12x00
- 19 HP ZCentral Remote Boost does not come preinstalled on Z Workstations but can be downloaded and run on all Z desktop and laptops without license purchase. With non-Z sender devices, purchase of perpetual individual license or perpetual floating license per simultaneously executing versions and purchase of ZCentral Remote Boost Software Support is required. RGS requires Windows, RHEL (7 or 8), UBUNTU 18.04 LTS, or HP ThinPro 7 operating systems. MacOS (10.13 or newer) operating system is only supported on the receiver side. Requires network access. The software is available for download at hp.com/ZCentralRemoteBoost. 20 HP Sure Recover Gen4 is available on select HP PCs and requires Windows 10 and an open network connection. You must back up important files, data, photos, videos, etc. before using HP Sure Recover to avoid loss of data. Network based recovery using Wi-Fi is only available on PCs with Intel Wi-Fi Module
- ²¹ Secure Erase For the methods outlined in the National Institute of Standards and Technology Special Publication 800-88 "Clear" sanitation method. HP Secure Erase does not support platforms with Intel® Optane 22 HP Sure Sense requires Windows 11 Pro or Enterprise and supports Microsoft Internet Explorer, Google Chrome", and Chromium". Supported attachments include Microsoft Office (Word, Excel, PowerPoint) and PDF files in read only mode, when Microsoft Office or Adobe Acrobat are installed.
- ²³ HP Sure Admin requires Windows 11, HP BIOS, HP Manageability Integration Kit from http://www.hp.com/go/clientmanagement and HP Sure Admin Local Access Authenticator smartphone app from the Android or Apple store.
- 24 Actual flex I/O choice depends on configuration selected. About Thunderbolt compatibility, please refer to the FAQ of Thunderbolt community. https://www.thunderbolttechnology.net/tech/faq.
- 25 Not all features are available in all editions or versions of Ubuntu. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS to take full advantage of Ubuntu functionality. Ubuntu may be automatically updated. ISP fees may apply and additional requirements may apply over time for updates.

 26 Wi-Fi 6E requires a Wi-Fi 6E router, sold separately, to function in the 6GHz band. Availability of public wireless access points limited. Wi-Fi 6E is backwards compatible with prior 802.11 specs. And available in countries
- where Wi-Fi 6E is supported. Wi-Fi 7 not available with 12th Gen Intel ADL processors; Wi-Fi 7 (802.11BE) functionality requires Windows 11 24H2, select Intel® processor, and a Wi-Fi 7 router, sold separately. Wi-Fi 7 is backwards compatible with prior 802.11 specs. Available in countries where Wi-Fi 7 is supported.
- ${\begin{tabular}{l} \it 27 HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html {\begin{tabular}{l} \it 27 HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html {\begin{tabular}{l} \it 27 HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html {\begin{tabular}{l} \it 27 HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html {\begin{tabular}{l} \it 27 HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html {\begin{tabular}{l} \it 27 HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html {\begin{tabular}{l} \it 27 HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html {\begin{tabular}{l} \it 27 HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html {\begin{tabular}{l} \it 27 HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html {\begin{tabular}{l} \it 27 HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html {\begin{tabular}{l} \it 27 HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html {\begin{tabular}{l} \it 27 HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html {\begin{tabular}{l} \it 27 HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html {\begin{tabular}{l} \it 27 HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html {\begin{tabular}{l} \it 27 HP MP Manageability Integration Kit can be do$
- ²⁸ For detailed OS/hardware support information for Linux, see: http://www.hp.com/support/linux_hardware_matrix
- 33 External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.
- 56 HP Wolf Pro Security Edition is available preloaded on select SKUs, and, depending on the HP product purchased, includes a license with a term length communicated to you at purchase and in your order confirmation email. The HP Wolf Pro Security Edition software is licensed under the license terms of the HP Wolf Security Software - End-User license Agreement (EULA) that can be found at: https://support.hp.com/us en/document/ish 3875769-3873014-16 as that EULA is modified by the following: 7. Term. Unless otherwise terminated earlier pursuant to the terms contained in this EULA, the license for the HP Wolf Pro Security Edition is effective upon 4 months after the date the HP Product was shipped by HP and will continue for the term communicated to you at purchase and in your order confirmation email ("Initial Term"). At the end of the Initial Term you may either (a) purchase a renewal license for the HP Wolf Pro Security Edition from HP.com, HP Sales or an HP Channel Partner, or (b) continue using the standard versions of HP Sure Click and HP Sure Sense at no additional cost with no future software updates or HP Support. Notwithstanding the foregoing, the license shall expire no later than one year after the fixed term of the subject license ends.

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty, HP shall not be liable for technical or editorial errors or omissions contained herein. Intel, Pentium, the Intel logo, Intel Core, Thunderbolt, VPro, Optane, and Core Inside are trademarks or registered trademarks of the Intel Corporation or its subsidiaries in the United States and Use Town expressions of the Use

