

MPN: 0070-24246

46" 24/7 Full-HD (4K in 2 x 2) Video Wall 3.5mm bezel

Ernitec 46" Video Wall Display: Elevate Your Visual Experience

Introducing the Ernitec 46" Video Wall Display, designed to support 4K when combining 2x2 displays input for stunning clarity and detail.

This display is perfect for a variety of applications, including security rooms, clubs, shopping malls, hotel lobbies, government facilities, healthcare environments, casinos, and broadcasting.

Key Features:

Ultra-Thin Seam: Enjoy an impressive ultra-thin seam of just 3.5mm, allowing for seamless multi-display setups that create a cohesive visual experience.

Wide Viewing Angle: With a 178-degree viewing angle, this monitor ensures that images remain clear and vibrant from virtually any position.

Versatile Connectivity: Equipped with multiple input options including DP, VGA, HDMI, DVI, making it easy to integrate into your existing systems.

Flexible Display Options: Supports PIP (Picture-in-Picture), PBP (Picture-by-Picture), and QUAD displays, allowing for dynamic content management and presentation.

Multiple Mount Solutions: Designed for easy installation, this display offers various mounting options to fit your specific needs.

Transform your space with the Ernitec 46" Video Wall Display, where cutting-edge technology meets versatility.

Perfect for any environment that demands high-quality visual performance!

Ports:

- 1 x HDMI In
- 1 x VGA In
- 1 x DP In
- 1 x USB
- 1 x RJ 45 In
- 2 x RJ 45 Out
- 1 x BNC In
- 1 x BNC Out
- 1 x DVI In

VESA: 600x400mm
Contains special brackets to fit.



Specifications

Design	Mean time between failures (MTBF)	50000 h
	Product colour	Black

Display	Aspect ratio	16:9
	Display brightness (typical)	500 cd/m ²
	Display diagonal	46 "
	Display resolution	1920 x 1080 pixels
	Display technology	DLED
	HD type	Full HD
	Native aspect ratio	16:9
	Response time	5 ms
	Viewing angle, horizontal	178 °
	Viewing angle, vertical	178 °
Ergonomics	On Screen Display (OSD) languages	English
	Panel mounting interface	600 x 400 mm
	VESA mounting	Yes
Other features	Analog signal format system	PAL, NTSC, SECAM
	Certification	EMC Class A
	Dimensions (WxDxH)	1021 x 123 x 576 mm
	Package dimensions (WxDxH)	1185 x 217 x 745 mm
	Weight	22500 g
Performance	Daisy chain	Yes
	Operating hours (hours/days)	24/7
Ports & interfaces	BNC input ports	1
	DisplayPorts quantity	1
	DVI port	Yes
	DVI-D ports quantity	1
	Ethernet LAN (RJ-45) ports	3
	HDMI	Yes
	HDMI ports quantity	1
	HDMI version	2.0
	USB 2.0 Type-A ports quantity	1
	VGA (D-Sub) ports quantity	1
Power	Socket connector type	C13
Vendor information	Brand Name	Ernitec
	Homepage	http://www.ernitec.com
	Warranty	5 Year(s)

Other products in this series

Display diagonal	
46	0070-24346
55	0070-24455

Other images

