


Delock PCI Express x1 Card to 1 x external USB Type-C™ female PD 30 W + 2 x external USB Type-A female USB 5 Gbps

Description

This PCI Express card by Delock expands the PC by **three external USB 5 Gbps ports**. Different USB devices such as USB flash memory, card reader, external enclosure etc. can be connected.

Power Delivery (PD) at the USB-C™ port

The USB Type-C™ port supports the **Power Delivery function**. This allows connected devices such as smartphones, tablets and even laptops to be charged.



Item no. 90229

EAN: 4043619902293

Country of origin: China

Package: Box

Technical details

- Connectors:
 - external:
 - 1 x USB 5 Gbps USB Type-C™ female (data transmission + Power Delivery)
 - 2 x USB 5 Gbps Type-A female
 - internal:
 - 1 x 6 pin power female
 - 1 x PCI Express x1, V2.0
- Chipset: VIA VL805
- Data transfer rate up to 5 Gbps
- Power supply via 6 pin power connector
- Electrical power per port:
 - USB Type-C™: max. 30 watt (20 V / 1.5 A)
 - USB Type-A: max. 4.5 watt (5 V / 0.9 A)

System requirements

- Linux Kernel 6.2 or above
- Windows 10/10-64/11
- PC with one free PCI Express slot
- Power supply with 6 pin PCIe power supply connector

Package content

- PCI Express card USB 5 Gbps
- Low profile bracket
- User manual

Images



General

| | |
|-----------------------------|---|
| Form factor: | Low Profile |
| Supported operating system: | Windows 10 32-Bit Windows 10 64-Bit Windows 11 Linux Kernel 6.2 or above |

Interface

| | |
|-----------|--|
| External: | 2 x USB 5 Gbps Type-A female 1 x USB 5 Gbps USB Type-C™ female (data transmission + Power Delivery) |
| Internal: | 1 x 6 pin power connector 1 x PCI Express x1, V2.0 |

Technical characteristics

| | |
|-----------------------|-----------------------------|
| Chipset: | VIA VL805 |
| Data transfer rate: | 5 Gbps |
| Maximum output power: | 20 V / 1,5 A 5 V / 0.9 A |