

Delock USB 5 Gbps Type-A female double row 18 pin THT connector for through-hole mounting 90° angled 10 pieces

Description

This USB connector by Delock can be used for through-hole mounting (THT) on a PCB board.



10 x

Item no. 66950

EAN: 4043619669509

Country of origin: China

Package: Zip poly bag

Technical details

- Connector: 2 x USB 5 Gbps Type-A female 18 pin 90° angled
- For THT PCB mounting
- Horizontal mounting
- Rated current: 0.25 A, 1.8 A
- Rated voltage: 30 V
- Contact surface: selectively gold-plated
- Operating temperature: -40 °C ~ 85 °C
- Flammability class: UL 94V-0
- Dimensions (LxWxH): ca. 17.2 x 15.6 x 14.5 mm

Package content

- 10 x Connector

Images



Interface

Connector:	2 x USB 5 Gbps Type-A female 18 pin 90° angled
------------	--

Technical characteristics

Operating temperature:	-40 °C ~ 85 °C
------------------------	----------------

Physical characteristics

Length:	17,2 mm
Width:	15.6 mm

Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de