

# Delock DL4 Solar Flat Cable male to female 1 m black

## Description

This DL4 solar flat cable by Delock can be used to transmit power obtained from a photovoltaic system.

### DL4 connectors

The DL4 plugs and sockets have a snap-in function, which avoids unwanted interruptions and ensures a secure connection. The connection can be released again with the appropriate tool.

### IP67 dust and waterproof

The DL4 solar cable is protected from dirt and moisture.

### Super flexible and flat

The solar flat cable is ideal for laying in a window bushing. The material of the cable sheath is flexible and makes the cable very resistant to strain.



**Item no. 60677**

EAN: 4043619606771

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:  
1 x DL4 male  
1 x DL4 female
- Cable cross section: ca. 3,3 mm<sup>2</sup>
- Compatible with MC4, TS4, QC4
- Operating temperature: -40 °C ~ 90 °C
- Cable size: ca. 10.0 x 2.0 mm
- Protection class: IP67
- Voltage: max. 1000 V
- Colour: black
- Length incl. connectors: ca. 1 m

## System requirements

- A free DL4 port

---

## Package content

- DL4 cable

---

## Images



## Interface

|              |                |
|--------------|----------------|
| Connector 1: | 1 x DL4 male   |
| Connector 2: | 1 x DL4 female |

## Technical characteristics

|          |        |
|----------|--------|
| Voltage: | 1000 V |
|----------|--------|

## Physical characteristics

|                  |            |
|------------------|------------|
| Cable category:  | Flat cable |
| Conductor gauge: | 12 AWG     |
| Length:          | 1 m        |
| Colour:          | black      |