

Delock Keystone Holder 8 port tiltable for DIN rail or wall mounting

Description

This Keystone holder by Delock can be mounted to a 35 mm DIN rail or wall. With its standardized dimensions, it is suitable for easy snap-in mounting of 8 Keystone modules.

With tiltable Keystone ports

The tiltable Keystone ports allow for an angled and space saving installation of cables e.g. in switch cabinets or distribution panels.

With ground connection

The holder has a grounding connection to allow electrical currents to be discharged easily.

Note

Due to the design only keystone modules up to max. 17.5 mm width can be used. Keystone modules are not included in the package content.



Item no. 67039

EAN: 4043619670390

Country of origin: China

Package: Box

Technical details

- Mounting for 35 mm DIN rail
- 8 Keystone ports 19.2 x 14.9 mm
- Tiltable bearing 30° of the Keystone modules
- Wall mounting
- 2 x mounting holes
- Mounting hole diameter: ca. 3.8 mm
- Pitch of screw hole: ca. 162.9 mm
- With ground connection
- With port numbering
- Operating temperature: -10 °C ~ 60 °C
- Material: metal / plastic
- Dimensions (LxWxH): ca. 154 x 78 x 55 mm

Package content

- Keystone mounting
- Ground wire
- Mounting material

Images



General

Mounting type:	DIN rail 35 mm Wall mounting
----------------	---------------------------------

Technical characteristics

Operating temperature:	-10 °C ~ 60 °C
------------------------	----------------

Physical characteristics

Material:	metal / plastic
Length:	154 mm
Width:	78 mm
Height:	55 mm