

Delock Keystone Surface Mounted Box surface mounted 6 Port for fiber optic and network white

Description

This empty box by Delock is suitable for mounting 6 Keystone modules and can be used as a junction box on the wall or in enclosures. It offers a versatile solution for the flexible installation of Keystone modules in networks, data centres, home and commercial environments.



Dual design for fiber optics and network

The dual design also offers a flexible solution for the organisation and protection of fiber optic connections and network connections.

Item no. 67054

EAN: 4043619670543

Country of origin: China

Package: Poly bag

Winding system for optical fiber cables

The built-in spool makes it possible to wind fiber optical cables cleanly and safely. The device provides a structured cabling infrastructure and prevents kinks and damage to sensitive optical fiber cables.

Note

Due to the narrow design only keystone modules up to max. 17 mm width can be used.

Technical details

- 6 Keystone ports 19,2 x 14,9 mm
- Mounting with screws or adhesive pad
- Operating temperature: -10 °C ~ 60 °C
- Colour: white
- Material: PC + ABS
- Dimensions (LxWxH): ca. 168 x 116 x 30 mm

Package content

- Keystone surface mounted box

- 2 x dowel
- 4 x cable tie
- 6 x screws

Images



Technical characteristics

Operating temperature:	-10 °C ~ 60 °C
------------------------	----------------

Physical characteristics

Material:	PC + ABS
Length:	168 mm
Width:	116 mm
Height:	30 mm
Colour:	white