


MPN: LVO231407-FLEX

Bendable LC-LC Singlemode fibre cable duplex 2m OS2 LSZH

The Lanview Bendable series offers a versatile solution for cable management, capable of bending and sustaining any angle from a straight line up to 90 degrees. Its boot, molded around a single stainless-steel wire, is manually adjustable, allowing the internal wire to preserve the chosen angle or direction.

The boot's design permits reshaping at any moment or straightening for the disconnection of connectors. This flexibility guarantees ideal connector installation in unique circumstances, like areas with restricted space or within high-density settings.

- Designed for Data Centers, Industry and Computer Centers
- LSZH (Low Smoke Zero Halogen) and flame retardant
- Color: Yellow
- Bending radius: 30 mm
- LC/UPC Connector
- Diameter 2.0mm





Specifications

Features	Cable length	2 m
	Cable type	Duplex
	Cladding diameter	125 µm
	Compressive strength	10
	Connector 1	LC/UPC
	Connector 1 gender	Male
	Connector 2	LC/UPC
	Connector 2 gender	Male
	Connector gender	Male/Male
	Connector polish type	UPC
	Core diameter	9 µm
	Fiber mode structure	Single-mode
	Fibre optic type	OS2
	Full duplex	Yes
	Halogen-free	Yes
	Insertion loss	0.3 dB
	Plug and Play	Yes
	Product colour	Yellow
	REACH compliance	Yes
	Return loss	50 dB
RoHS compliance	Yes	
Operational conditions	Operating temperature (T-T)	-40 - +75 °C
	Storage temperature (T-T)	-40 - +85 °C

Other features	Core / cladding diameter	9/125 μ m
Package dimensions	Depth (package,cm)	4 cm
	Gross Weight (Package, kg)	0.04 kg
	Height (package,cm)	20 cm
	Width (package,cm)	18 cm
Product dimensions	Net Weight (Product, kg)	0.04 kg
	Product Depth	200 cm
	Product Height	1 cm
	Product Width	2 cm
Technical details	Doesn't contain	Halogen
Vendor information	Brand Name	Lanview
	Warranty	25 Year(s)
Weight & dimensions	Bending radius	3 cm
	Cable diameter	2 mm

Other images



Recommended accessories



Lanview LC Singlemode connector duplex OS2 zirconia SC footprint
MPN: LVO231287



Lanview 24-Port Fibre patch panel mounted with 12 x LC duplex Single Mode connectors
MPN: LVO233840



Lanview 24-Port Fibre patch panel mounted with 24 x LC duplex Single Mode connectors
MPN: LVO233845



Lanview One click cleaner for LC 1,25mm
MPN: LVO280902



Lanview Laser pen - Visual Fault Locator 2,5 mm
MPN: LVO237930



Lanview Visual Fault Locator 1,25 mm Adapter
MPN: LVO-1.25MM-ADAPTER