

MPN: LVO231408-FLEX

Bendable LC-LC Singlemode fibre cable duplex 3m OS2 LSZH

The Lanview Bendable series is engineered for flexible cable management, able to bend and hold any angle from a straight line to 90 degrees. The boot, shaped around a single stainless-steel wire, is easily adjustable by hand, while the internal wire maintains the set angle or direction.

The design of the boot allows for repositioning at any time or straightening for disconnecting connectors. This adaptability ensures optimal connector placement in challenging conditions, such as tight spaces or high-density environments.

- Designed for Data Centers, Industry and Computer Centers
- LSZH (Low Smoke Zero Halogen) and flame retardant
- Color: Yellow
- Bending radius: 30 mm
- LC/UPC Connector
- Cable Diameter 2.0mm





Specifications

Features	Cable length	3 m
	Cable type	Duplex
	Cladding diameter	125 µm
	Compressive strength	10
	Connector 1	LC/UPC
	Connector 1 gender	Male
	Connector 2	LC/UPC
	Connector 2 gender	Male
	Connector gender	Male/Male
	Connector polish type	UPC
	Fiber mode structure	Single-mode
	Fibre optic type	OS2
	Full duplex	Yes
	Halogen-free	Yes
	Insertion loss	0.3 dB
	Product colour	Yellow
	REACH compliance	Yes
	Return loss	50 dB
	RoHS compliance	Yes
	Operational conditions	Operating temperature (T-T)
Storage temperature (T-T)		-40 - +85 °C
Other features	Core / cladding diameter	9/125 µm
Package dimensions	Depth (package,cm)	4 cm

Package dimensions	Gross Weight (Package, kg)	0.08 kg
	Height (package,cm)	20 cm
	Width (package,cm)	18 cm
Product dimensions	Net Weight (Product, kg)	0.08 kg
	Product Depth	300 cm
	Product Height	1 cm
	Product Width	2 cm
Technical details	Doesn't contain	Halogen
Vendor information	Brand Name	Lanview
	Warranty	25 Year(s)
Weight & dimensions	Bending radius	3 cm
	Cable diameter	2 mm

Other images



Recommended accessories



Lanview LC Singlemode connector duplex OS2 zirconia SC footprint
MPN: LVO231287



Lanview 24-Port Fibre patch panel mounted with 12 x LC duplex Single Mode connectors
MPN: LVO233840



Lanview 24-Port Fibre patch panel mounted with 24 x LC duplex Single Mode connectors
MPN: LVO233845



Lanview One click cleaner for LC 1,25mm
MPN: LVO280902



Lanview Laser pen - Visual Fault Locator 2,5 mm
MPN: LVO237930



Lanview Visual Fault Locator 1,25 mm Adapter
MPN: LVO-1.25MM-ADAPTER