

Delock PCI Express x4 Card to 4 x M12 Gigabit LAN PoE+

Description

The PCI Express card by Delock offers **four network ports** with a data transfer rate up to **1000 Mbps**. This industrial Ethernet adapter by Delock can be used to connect various components with **M12 connectors**, e.g. for machine control or automation.



PoE support

The RJ45 ports support **Power over Ethernet** according to IEEE 802.3af / 802.3at, so power can be supplied to PoE-enabled devices, such as IP cameras or PoE splitters via the network cable.

Item no. 86054

EAN: 4043619860548 Country of origin: China Package: White Box

Technical details

Connectors:

external:

4 x M12 female 8 pin X-coded

internal:

1 x PCI Express x4, V2.1

1 x 4 pin power connector

- · Chipset: Intel i350
- · Data transfer rate:

Ethernet up to 10 Mbps (Half/Full Duplex)

Fast Ethernet up to 100 Mbps (Half/Full Duplex)

Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)

PCI Express x4 up to 16 Gbps

- Suitable for Gigabit Ethernet vision systems
- Supports IEEE 1588 PTP
- Supports IEEE 802.3 / 802.3u / 802.3ab
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports 9k Jumbo Frames
- Supports IEEE 802.3af PoE





- Supports IEEE 802.3at PoE+
- Output power: max. 120 W total
- LED indicator for link and activity

System requirements

- Windows 10/10-64/11
- PC with one free PCI Express slot

Package content

- PCI Express card
- User manual

Images









General

Supported operating system: Windows 10 32-Bit

Windows 10 64-Bit

Windows 11

Interface

External: 4 x M12 female 8 pin X-coded

Internal: 1 x PCI Express x4, V2.1

Technical characteristics

Chipset: Intel® i350

Data transfer rate: Ethernet up to 10 Mbps

Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1 Gbps

Physical characteristics

Slot bracket: standard

Herstellerinformation

Strasse Beeskowdamm 13/15

PLZ 14167 Ort Berlin

Land Deutschland
E-Mail info@delock.de
Webseite www.delock.de