

# Delock External USB Sound Card 24 bit / 96 kHz Plug & Play for Windows, MAC, Linux, Chrome OS

## Description

The sound adapter by Delock expands a computer, laptop or tablet-PC with an **additional external sound card**.

### Compact High-Res Sound

The stereo **3.5 mm jack output** offers a maximum **sampling rate** of **24 Bit / 96 kHz**, so you can listen to your favorite music in **High-Res Audio** quality.

### Microphone connector

At the 3.5 mm jack microphone input of this adapter, for example, a PC microphone can be connected and therefore **high-quality** audio **recordings** with a maximum **sampling rate** of **24 bit / 48 kHz** can be created. This makes the adapter ideal for **video chats**, **streaming** and **gaming**.

### Plug & Play

Due to USB Plug & Play, the adapter is immediately ready for use and no driver installation is necessary. The adapter works with all common operating systems such as **Windows**, **Mac OS**, **Chrome OS**, **Linux** and **Android**.



**Item no. 65964**

EAN: 4043619659647

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x USB 2.0 Type-A male >
  - 1 x speaker 3.5 mm 3 pin stereo jack female
  - 1 x microphone 3.5 mm 3 pin mono jack female
- Up to 24 Bit / 96 kHz sampling rate for playback and 24 Bit / 48 kHz for recording
- USB audio device specification 1.0
- USB HID class 1.1
- USB bus powered
- LED indicator for activity
- Plug & Play

- Dimensions (LxWxH): ca. 27 x 24 x 12 mm

---

## System requirements

- Android 10.0 or above
- Chrome OS 90.0 or above
- Linux Kernel 5.8 or above
- Mac OS 11.2.3 or above
- Windows 10/10-64/11
- Windows Server 2019
- PC or laptop with a free USB Type-A port

---

## Package content

- USB sound adapter
- User manual

---

## Images



## General

|                             |                                                                                                                                                                                          |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Function:                   | Plug & Play                                                                                                                                                                              |
| Specification:              | USB Audio Device Class 1.0<br>USB HID class 1.1                                                                                                                                          |
| Supported operating system: | Linux Kernel 5.8.0 or above<br>Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows Server 2019<br>Android 10.0 or above<br>Mac OS 11.2.3 or above<br>Chrome OS 90.0 or above<br>Windows 11 |
| LED indicator:              | Activity                                                                                                                                                                                 |

## Interface

|              |                                              |
|--------------|----------------------------------------------|
| Connector:   | 1 x USB 2.0 Type-A male                      |
| Connector 1: | 1 x speaker 3.5 mm 3 pin stereo jack female  |
| Connector 2: | 1 x microphone 3.5 mm 3 pin mono jack female |

## Technical characteristics

|              |                 |
|--------------|-----------------|
| Sample rate: | 24 Bit / 96 kHz |
|--------------|-----------------|

## Herstellerinformation

|          |                   |
|----------|-------------------|
| Strasse  | Beeskowdamm 13/15 |
| PLZ      | 14167             |
| Ort      | Berlin            |
| Land     | Deutschland       |
| E-Mail   | info@delock.de    |
| Webseite | www.delock.de     |