

Delock USB 40 Gbps Extension Cable USB Type-C™ male to female PD 3.1 240 W 1 m grey metal

Description

This USB cable by Delock allows the extension of a USB Type-C™ connection.

USB 40 Gbps

The cable enables data transfer rates up to 40 Gbps when connecting compatible devices. Of course, USB 3.2 or USB 2.0 devices can also be connected.

USB Power Delivery (USB PD 3.1) support up to 240 watt

Support for the Extended Power Range resp. USB Power Delivery 3.1 standard means that connected devices can be supplied with power, up to 240 W (48 V / 5 A) is possible.



Item no. 81201

EAN: 4043619812011

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x USB 40 Gbps USB Type-C™ male
 - 1 x USB 40 Gbps USB Type-C™ female
- Downwards compatible to USB 3.2, USB 2.0 and Thunderbolt™ 3
- Connector with metal housing
- Cable gauge:
 - 24 AWG data line
 - 22 AWG power line
- Contacts gold-plated
- Cable jacket material: TPE
- Cable diameter: ca. 5 mm
- Data transfer rate up to 40 Gbps
- Display resolution up to 7680 x 4320 @ 60 Hz
(depending on the system and the connected hardware)
- Supports HDR10
- Supports HDCP 1.4 and 2.3
- Supports PCI Express 3.0 protocol

- Supports DisplayPort 1.4a protocol
- Supports DisplayPort Alt Mode 2.0
- Dual channel, bi-directional data transfer
- Supports Extended Power Range (EPR)
- USB Power Delivery (USB PD 3.1) support up to 240 watt (48 V / 5 A)
- Colour: black / grey
- Length incl. connectors: ca. 1 m

Package content

- USB 40 Gbps cable

Images



General

| | |
|----------------|--|
| Specification: | HDCP 1.4 DisplayPort 1.4 HDR10 PCI Express 3.0 HDCP 2.3 USB Power Delivery 3.1 USB 40 Gbps |
|----------------|--|

Interface

| | |
|--------------|------------------------|
| Connector 1: | 1 x USB Type-C™ male |
| Connector 2: | 1 x USB Type-C™ female |

Technical characteristics

| | |
|----------------------------|---------------------|
| Chipset: | E-Marker |
| Data transfer rate: | 40 Gbps |
| Maximum screen resolution: | 7680 x 4320 @ 60 Hz |
| Maximum power: | 240 W |
| Maximum current: | 5 A |
| Voltage: | 20.0 V |

Physical characteristics

| | |
|------------------------|---------------------------------------|
| Pin finishing: | gold-plated |
| Cable gauge: | 22 AWG power line 24 AWG data line |
| Length: | 1 m |
| Colour: | grey black |
| Cable diameter: | 5 mm |
| Cable jacket material: | TPE |

Herstellerinformation

| | |
|----------|-------------------|
| Strasse | Beeskowdamm 13/15 |
| PLZ | 14167 |
| Ort | Berlin |
| Land | Deutschland |
| E-Mail | info@delock.de |
| Webseite | www.delock.de |