


# Delock M12 Adapter D-coded 4 pin male to RJ45 jack Cat.5e with mounting hole 90° angled violet

## Description

This industrial Ethernet adapter by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.

## With mounting hole

The adapter can be attached to a plate with a corresponding cut-out.



**Item no. 60679**

EAN: 4043619606795

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x M12 male 4 pin D-coded
  - 1 x RJ45 jack 90° angled
- Cat.5e specification
- Installation dimensions: 16.1 x 13.6 mm
- With mounting hole
- Mounting hole diameter: ca. 2.7 mm
- Housing material: PVC / metal
- Shielded (STP)
- M16 external thread
- Contacts gold-plated
- Operating voltage: max. 250 V
- Current:
  - M12: max. 4 A
  - RJ45: max. 1.5 A
- Operating temperature: -40 °C ~ 85 °C
- Protection class: IP67 (M12), IP20 (RJ45)
- Colour: violet
- Dimensions (LxWxH): ca. 55.9 x 20.0 x 19.0 mm

---

## Package content

- M12 adapter

---

## Images



## General

|                |         |
|----------------|---------|
| Specification: | Cat. 5e |
|----------------|---------|

## Interface

|              |                            |
|--------------|----------------------------|
| Connector 1: | 1 x M12 male 4 pin D-coded |
| Connector 2: | 1 x RJ45 jack 90° angled   |

## Technical characteristics

|                        |                |
|------------------------|----------------|
| Operating temperature: | -40 °C ~ 85 °C |
|------------------------|----------------|

## Physical characteristics

|            |             |
|------------|-------------|
| Material:  | PVC / metal |
| Shielding: | STP         |
| Length:    | 55.9 mm     |
| Width:     | 20.0 mm     |
| Height:    | 19.0 mm     |
| Colour:    | violet      |

## Herstellerinformation

|          |                   |
|----------|-------------------|
| Strasse  | Beeskowdamm 13/15 |
| PLZ      | 14167             |
| Ort      | Berlin            |
| Land     | Deutschland       |
| E-Mail   | info@delock.de    |
| Webseite | www.delock.de     |