

Delock Active USB 10 Gbps Cable USB Type-C™ male to male angled left / right 5 m 8K PD 60 W with E-Marker

Description

This active USB cable by Delock enables the bi-directional connection between devices with a USB Type-C™ connector. The integrated E-Marker chipset supports the PD 3.0 function for fast charging with a charging power of up to 60 W.

Ideal for VR glasses

Due to the two signal amplifiers, the 10 Gbps data transmission can be realized over 5 m. The long cable length allows for more freedom of movement, which also makes the cable suitable for use with VR glasses. It can achieve a resolution of 8K 60 Hz and the angled connector is ideal for connecting to VR glasses.



Item no. 81196

EAN: 4043619811960

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x USB 10 Gbps USB Type-C™ male
 - 1 x USB 10 Gbps USB Type-C™ male angled
- Chipset:
 - ANX7411 E-Marker
 - ANX7451 signal amplifier
- Cable gauge:
 - 30 + 34 AWG data line
 - 22 AWG power line
- Resolution up to 7680 x 4320 @ 60 Hz (depending on the system and the connected hardware)
- Output current: up to 3 A
- Cable diameter: ca. 4.2 mm
- Data transfer rate up to USB 10 Gbps
- Non-directional for data
- Supports HDR
- Supports HDCP
- Supports DisplayPort Alt Mode

- USB Power Delivery (USB PD 3.0) support up to 60 watt
- Colour: black
- Length incl. connectors: ca. 5 m

Package content

- USB 10 Gbps cable

Images



General

Specification:	USB 10 Gbps USB Power Delivery 3.0 USB Type-C™
----------------	--

Interface

Connector 1:	1 x USB 10 Gbps USB Type-C™ male
Connector 2:	1 x USB 10 Gbps USB Type-C™ male

Technical characteristics

Chipset:	Analogix ANX7411 Analogix ANX7451
Data transfer rate:	10 Gbps
Maximum screen resolution:	7680 x 4320 @ 60 Hz
Maximum current:	3 A

Physical characteristics

Cable gauge:	30 AWG data line 34 AWG data line 22 AWG power line
Length:	5 m
Colour:	black

Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de