MPN: 0070-24232-L

32" 24/7 Full-HD Surveillance monitor. 1x HDMI 2.0, 1x VGA, 2x BNC IN, 1x BNC OUT, 2x Speakers

PRODUCT CHARACTERISTICS



• Full HD solution
• Industrial-grade LED screen
• Designed for CCTV
• High brightness, high contrast, high definition
• Adapts to the latest 3D digital filtering and 3D digital noise reduction technology
• Picture fast response
• 178° wide viewing angle
• High fidelity digital processing, brilliant and vivid video
• 24/7 working status, working continuously for 5 years
• Anti-static, anti-magnetic field, anti-interference, no radiation
• Menu with convenient Controller

VESA size: 100x100

- For Projects only - Ask for leadtime
- Security monitor
- Desktop monitor
- EU + UK Power cord included
- HDMI cable included
- 24/7 display

Specifications

Design	**Detachable stand**	Yes
	Market positioning	Industrial
	Product colour	Black
Display	**Aspect ratio**	16:9
	Contrast ratio (typical)	1000:1
	Display brightness (typical)	203 cd/m²
	Display diagonal	32 "
	Display resolution	1920 x 1080 pixels
	Display technology	LCD, LED
	HD type	Full HD
	Native aspect ratio	16:9
	Response time	5 ms
	Viewable size diagonal	39.2 cm
	Viewable size, vertical	69.8 cm
	Viewing angle, horizontal	178 °
	Viewing angle, vertical	178 °
Ergonomics	**Panel mounting interface**	100 x 100 mm

Legal Information	**ADR Information**	No restrictions
	Country of Origin	China
	Tariff No.	8528529100
	UNSPSC Code	43211902
Other features	**Certification**	EMC Class A
	Comb filter	3D
	Compatible wall mount	Vesa 100 x 100
	Display language	English
	Display type	TFT
	Easy to install	Yes
	Mean time between failures (MTBF)	50000 h
	Mounting	VESA mount 100 x 100 mm
	Picture enhancement	DNIe digital image processing
	Speakers	2 x 3W Stereo
Package dimensions	**Depth (package,cm)**	13 cm
	Gross Weight (Package, kg)	8 kg
	Height (package,cm)	57 cm
	Width (package,cm)	78 cm
Packaging content	**Quick start guide**	Yes
	Screws included	Yes
	Stand included	Yes
Packaging data	**AC adapter included**	Yes
	Manual	Yes
	Mounting brackets included	Yes
Performance	**Operating hours (hours/days)**	24/7
Ports & interfaces	**BNC input ports**	2
	HDMI ports quantity	1
	HDMI version	2.0
	VGA (D-Sub) ports quantity	1
Power	**AC input frequency**	50/60 Hz
	AC input voltage	100-240 V
	Power consumption (average)	25 W
	Socket connector type	C13
Product dimensions	**Net Weight (Product, kg)**	6 kg
	Product Depth	5.5 cm
	Product Height	50 cm
	Product Width	73 cm
Vendor information	**Brand Name**	Ernitec
	Warranty	5 Year(s)

Other images

