

Product datasheet

Specifications



APC KVM 2G, Analog, 1 Local User, 8 ports



KVM0108A

EAN Code: 0731304285502

Main

| | |
|---------------------------|--|
| Product or component type | Switch |
| Number of rack unit | 1U |
| Provided equipment | CD with software Installation guide Rack mounting brackets |

Physical

| | |
|---------------------|--------------------|
| Colour | Black |
| Height | 43 mm |
| Width | 424 mm |
| Depth | 188 mm |
| Product weight | 2.4 kg |
| Mounting location | Front |
| Mounting preference | No preference |
| Mounting mode | Not rack-mountable |

Conformance

| | |
|------------------------|---|
| Product certifications | cUL listed C-Tick CE EAC TAA compliance UL-AR VCCI class A VDE |
| Standards | FCC part 15 class A ICES-003 UL 60950-1 |

Environmental

| | |
|---------------------------------------|--------------|
| Ambient air temperature for operation | 0...50 °C |
| Operating altitude | 0...10000 ft |
| Relative humidity | 0...80 % |
| Ambient air temperature for storage | -20...60 °C |
| Storage altitude | 0...15240 m |
| Storage Relative Humidity | 0...80 % |

Packing Units

| | |
|------------------------------|---------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 14.6 cm |
| Package 1 Width | 33 cm |
| Package 1 Length | 61.9 cm |
| Package 1 Weight | 3.9 kg |

Logistical informations

| | |
|-------------------|----|
| Country of origin | TW |
|-------------------|----|

Contractual warranty

| | |
|----------------------|----|
| Warranty (in months) | 24 |
|----------------------|----|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

| | |
|--|---|
| Total lifecycle Carbon footprint | 8 kg CO2 eq. |
| Carbon footprint of the manufacturing phase [A1 to A3] | 8 kg CO2 eq. |
| Carbon footprint of the distribution phase [A4] | 0.2 kg CO2 eq. |
| Carbon footprint of the installation phase [A5] | 0 kg CO2 eq. |
| Carbon footprint of the use phase [B2, B3, B4, B6] | 0 kg CO2 eq. |
| Carbon footprint of the end-of-life phase [C1 to C4] | 0.2 kg CO2 eq. |
| Environmental Disclosure | Product Environmental Profile |

Use Better



Materials and Substances

| | |
|--|---|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant |
| REACH Regulation | Free of Substances of Very High Concern above the threshold |

Use Longer



Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again



Repack and remanufacture


| | |
|---------------------------------|---|
| Recyclability potential, in % | 95 |
| End of life manual availability | No need of specific recycling operations |
| Take-back | No |
| WEEE Label |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |

Image of product / Alternate images

Alternative

