

# Product datasheet

Specifications



## APC KVM 2G, Analog, 1 Local User, 16 ports



KVM0116A

EAN Code: 0731304285519

### Main

|                           |  |
|---------------------------|--|
| Product or component type | Switch   |
| Number of rack unit       | 1U   |
| Provided equipment        | CD with software<br>Installation guide<br>Rack mounting brackets |

### Physical

|                     |                    |
|---------------------|--------------------|
| Colour              | Black              |
| Height              | 43 mm              |
| Width               | 424 mm             |
| Depth               | 188 mm             |
| Product weight      | 2.4 kg             |
| Mounting location   | Front              |
| Mounting preference | No preference      |
| Mounting mode       | Not rack-mountable |

### Conformance

|                        |   |
|------------------------|---|
| Product certifications | cUL listed<br>C-Tick<br>CE<br>EAC<br>TAA compliance<br>UL-AR<br>VCCI class A<br>VDE |
| Standards              | FCC part 15 class A<br>ICES-003<br>UL 60950-1                                       |

### Environmental

|                                       |              |
|---------------------------------------|--------------|
| Ambient air temperature for operation | 0...50 °C    |
| Operating altitude                    | 0...10000 ft |
| Relative humidity                     | 0...80 %     |
| Ambient air temperature for storage   | -20...60 °C  |
| Storage altitude                      | 0...15240 m  |
| Storage Relative Humidity             | 0...80 %     |

### Packing Units

---

|                              |         |
|------------------------------|---------|
| Unit Type of Package 1       | PCE     |
| Number of Units in Package 1 | 1       |
| Package 1 Height             | 14.6 cm |
| Package 1 Width              | 33 cm   |
| Package 1 Length             | 61.9 cm |
| Package 1 Weight             | 3.9 kg  |

---

## Logistical informations

---

|                   |    |
|-------------------|----|
| Country of origin | TW |
|-------------------|----|

## Contractual warranty

---

|                      |    |
|----------------------|----|
| Warranty (in months) | 24 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better



### Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

[Compliant By Exemption](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

## Use Longer



### Lifetime extension

Repair

No

## Use Again



### Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No

WEEE Label


 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

---

