

SmallRig



Magic Arm Support Kit (5.5)

Operating Instruction

The 5.5" magic arm is equipped with 1/4"-20 screws on both ends. One end connects to monitors, while the other end attaches to accessories with 1/4"-20 threaded holes, such as cages, NATO rails (ID 1973 / 1885), 15mm rods (ID 1182), and single rod clamps (ID 1976). The monitor end features protective pads to prevent scratching and ensure a secure connection. The locking knob is ergonomically designed for ease of use, enabling smooth adjustment to any angle by loosening the knob.

Safety Guidelines

1. Environment

Do not use the product underwater, in extreme temperatures (e.g., freezing or direct heat), corrosive environments, or excessive dust. Dry metal parts immediately after liquid contact to prevent corrosion.

2. Load Capacity

Do not exceed the maximum weight capacity indicated on the product. Overloading risks structural failure, deformation, or accidental drops.

3. Cleaning & Maintenance

Clean surfaces with a dry, soft cloth. Avoid chemicals like alcohol or solvents. Ensure dry and ventilated conditions for long-term storage.

4. Structural Integrity

Do not modify the product (e.g., drilling, cutting)—this compromises structural integrity and increases drop risks.

5. Malfunctions

Stop use immediately if you notice deformation, unusual noises, or loose components, and contact support.

In the Box

Magic Arm × 2

Produce Details Display



Attach To Camera Monitor Via The 1/4"-20 Screw

1.5kg
3.3lbs



1.5kg / 3.3lbs
Max Load



Fits 1/4"-20 Thread

Aet Perfect Angle

360° Rotate Ball-joint and Adjustable Arm 360°



Wide Compatibility



Monitor



Per GoPro



Luce video LED



Camera Cage



Top Handle



Side Handle

Wide Compatibility



O Ring Rubber Cushion



Wingnut



Aluminum Alloy



Package Includes

ID 5316

Magic Arm × 2



Precautions

Maximum Load Capacity

1.5kg / 3.3lb

Specifications

Product Dimensions

86.0 × 60.0 × 25.0mm / 3.4 × 2.4 × 1.0in

Net Weight

336.0 ± 5.0g / 11.8 ± 0.2oz

Material(s)

Aluminum Alloy, Stainless Steel, Free-Cutting Steel

Manufacturer Email: support@smallrig.com

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 101, 701, 901, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Room 201, Building 4, Gonglianfuji Innovation Park, No. 58, Ping'an Road,
Dafu Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

RoHS



Séparez les éléments avant de trier



Made in China