



THE MOBILE SECURITY BOX

The solid base for your mobile
surveillance unit



The Mobile Security Box

The solid base for your rapid deployment CCTV security solution

Lorem ipsum


In the dynamic world of security, where threats can evolve quickly, TelescopicMast provides reliable and resilient solutions. The Mobile Security Box is a versatile and adaptable security tower that seamlessly adjusts to meet your specific needs. With its adjustable height ranging from four to nine metres, this state-of-the-art tower grants unparalleled surveillance coverage, enabling security companies to safeguard sites, projects and events quickly and efficiently. Compatible with all major surveillance equipment manufacturers, this tower empowers you to build customised security solutions to your clients specific needs.

Our Mobile Security Box is ready for stand-alone applications when equipped with attachable solar panels and the installation of fuel cells inside the cabinet.

Partner with TelescopicMast and experience the pinnacle of security with our Mobile Security Box – your reliable partner for rapid deployment solutions.



Add your own devices...



Equipment

You can equip our Telescopicmast with a complete solution of your choice.

1. Choose your cameras:
Fixed, High speed PTZ dome, Thermal, ANPR.
2. Choose your recording device:
Standalone DVR, VMS, NVR.
3. Choose additional equipment:
Detection devices, Audio & Public Address, Lighting.
4. Choose your power source:
Mains power, Battery backup, Fuel cells, Solar power.
5. Brand your box:
Complete your box with custom graphics on each side, promoting your own or your customer's company.


Easy to transport to site

Single & Double Box trailers

Our specially designed trailers for the TelescopicMast Mobile Security Box are available in a single and double axle version. Utilize our lift eyes, forklift, or specially designed trailer to transport and install the Mobile Security Box quickly and easily.

- Heavy support wheel
- Shock absorbers
- Wheel chocks
- Adjustable width forks
- Tie hooks and rails
- Hot dip galvanised chassis

Load,
lift
and drive...



PRO-MSB

Basic with premium features

The Mobile Security Box PRO-MSB valuable solution for securing unmanned sites and temporary installations, witnessing a surge in demand for rapid deployment CCTV systems. Boasting a cost-saving potential of up to 60% compared to manned guarding, it swiftly detects intruders in diverse settings such as construction sites, vacant properties, and infrastructure protection. It excels in ensuring security for wind and solar farms, car parking lots, stadiums, venues, and public surveillance. A standout feature of the PRO-MSB is its robust roof climb protection, rendering it highly vandal-resistant.

This is complemented by two lockable top covers that completely encase and shield the electronic equipment within, guaranteeing utmost security.

The MSB6-Basic Plus is easily transportable with forklift slots, quick to install with a manual winch, and visually prominent with customisable branding on all sides. Its 100% galvanised steel construction provides durability and resilience, while the extendable mast, stabilisers, and spirit level ensure stability even in winds of up to 53mph. In essence, the PRO-MSB is a versatile, secure, and cost-effective solution for a wide array of security needs.



Specifications and Features

PRO-MSB Specifications

Size LxWxH in cm

100x100x227

Weight in kg

350

Total height with extended mast (in cm)

600

Maximum carrying weight in masttop (in kg)

60

Certifications

CE and ISO9001 CERTIFIED / TÜV

Steel galvanised construction

Steel galvanised mast

Basic 4-part telescopic mast 100/80/60/40mm

PRO-MSB Features

Mobile unit easy to transport to site ✓

Easy to store ✓

Basic ground frame ✓

Easy to install by one engineer ✓

Heavy duty forklift slots, for easy transportation ✓

Lifting eyes, for easy transportation and deployment ✓

Stable Telescopic mast with an automatic safety stop ✓

Four spoke masttop for CCTV cameras or floodlight ✓

Spirit level for easy installation ✓

Two lockable doors to secure equipment ✓

Prepared for additional security lock ✓

Completely closed due to 2 Lockable top covers ✓

Roof climb protection ✓

Patchbox prepared ✓

4 stabilising cables, reduce vibration and false alarms. ✓

Stabilised by 4 stabilisers up to a wind speed of 85Km/h. ✓

Manual CE approved winch 550 kg ✓

Sides suitable for branding with logo's or messaging ✓

Double cabling in mast (safer for people and equipment) ✓

Sufficient space for installing batteries or fuel cells ✓

Hoisting mast RVS316 stainless steel cables ✓

Hydraulically pressed cable clamp ✓




Manual included ✓

Warning labels ✓

Nylon wheels with bearings ✓



Dimensions and Drawings



ENTERPRISE-MSB


The Original Mobile Security Box

The Mobile Security Box Enterprise-MSB offers robust security solutions for unmanned sites and temporary installations, supporting on-site guarding. Ideal for applications such as construction and industrial site security, protecting vacant properties, and safeguarding infrastructure, it performs in diverse settings like wind and solar farms, car parks, stadiums, venues, and public surveillance.

With a built-in six-metre extendable mast with dual-camera bracket, the ENTERPRISE-MSB ensures stability in winds up to 85 kph with four extendable stabilisers.

Key features include a vandal-resistant design with roof climb protection, forklift slots for easy transportation, and lockable top covers securing electronic equipment. Furthermore, the ENTERPRISE-MSB stands out with its double lock mechanism and heavy-duty ground frame, ensuring enhanced security.

Quick and cost-effective installation by a single engineer using the manual winch, coupled with 100% galvanised steel construction, makes it a reliable choice for promoting your company with personalised branding on all sides.



Specifications and Features

ENTERPRISE-MSB Specifications

Size LxWxH in cm

101x101x234

Weight in kg

416

Total height with extended mast (in cm)

600

Maximum carrying weight in masttop (in kg)

60

Certifications

CE and ISO9001 CERTIFIED / TÜV

Steel galvanised construction

Steel galvanised mast

Premium 4-part telescopic mast 120/100/80/60mm"

ENTERPRISE-MSB Features

Mobile unit easy to transport to site ✓

Easy to store ✓

Heavy duty ground frame ✓

Easy to install by one engineer ✓

Heavy duty forklift slots, for easy transportation ✓

Lifting eyes, for easy transportation and deployment ✓

Stable Telescopic mast with an automatic safety stop ✓

Four spoke masttop for CCTV cameras or floodlight ✓

Spirit level for easy installation ✓

Two lockable doors to secure equipment ✓

Prepared for additional security lock ✓

Completely closed due to 2 Lockable top covers ✓

Roof climb protection ✓

Patchbox prepared ✓

4 stabilising cables, reduce vibration and false alarms. ✓

Stabilised by 4 stabilisers up to a wind speed of 85Km/h. ✓

Manual CE approved winch 550 kg ✓

Sides suitable for branding with logo's or messaging ✓

Double cabling in mast (safer for people and equipment) ✓

Sufficient space for installing batteries or fuel cells ✓


Hoisting mast RVS316 stainless steel cables ✓

Hydraulically pressed cable clamp ✓




Manual included ✓

Warning labels

Nylon wheels with bearings



Dimensions and Drawings



XL-MSB

The Extra Large Mobile Security Box


The Mobile Security Box XL-MSB shares the specifications found in the ENTERPRISE-MSB and is specifically tailored for safeguarding unmanned sites, temporary installations and supporting on-site guarding. With the additional feature of a taller 9-metre mast making it ideal for various applications such as securing construction sites, industrial facilities, vacant properties, infrastructure, wind and solar farms, car parking, stadiums, venues and public surveillance.

Key features of the XL-MSB include steel cables to the mast head, mitigating camera vibrations for accurate alarm detection.

Its highly visible surfaces offer easy branding opportunities for personalised company messages. The unit boasts a swift, one-engineer installation using a manual winch, reducing overall installation costs.

Crafted from 100% galvanised steel, it ensures robust protection for internal electronic components.

The mast's total height extends to 9 metres, providing an advantageous three-metre increase compared to the PRO & ENTERPRISE models. This heightened elevation enhances the CCTV cameras' viewing angle, augmenting overall surveillance effectiveness.



Specifications and Features

XL-MSB Specifications

Size LxWxH in cm

114x114x250

Weight in kg

502

Total height with extended mast (in cm)

900

Maximum carrying weight in masttop (in kg)

60

Certifications

CE and ISO9001 CERTIFIED / TÜV

Steel galvanised construction

Steel galvanised mast

Premium 5-part telescopic mast

120/100/80/60/40mm

XL-MSB Features

Mobile unit easy to transport to site ✓

Easy to store ✓

Basic extended ground frame ✓

Easy to install by one engineer ✓

Heavy duty forklift slots on 4 sides, for easy transportation ✓

Lifting eyes, for easy transportation and deployment ✓

Stable Telescopic mast with an automatic safety stop ✓

Four spoke masttop for CCTV cameras or floodlight ✓

Spirit level for easy installation ✓

Two lockable doors to secure equipment ✓

Prepared for additional security lock ✓

Patchbox prepared ✓

4 stabilising cables, reduce vibration and false alarms. ✓

Stabilised by 4 stabilisers up to a wind speed of 85Km/h. ✓

Manual CE approved winch 850 kg ✓

Sides suitable for branding with logo's or messaging ✓

Double cabling in mast (safer for people and equipment) ✓

Sufficient space for installing batteries or fuel cells ✓

Hoisting mast RVS316 stainless steel cables ✓

Hydraulically pressed cable clamp ✓




Manual included ✓

Warning labels ✓

Nylon wheels with bearings ✓



Dimensions and Drawings




COMPACT-MSB

The Compact Mobile Security Box

The COMPACT-MSB is a mobile security cabinet that is smaller than its larger brothers. However, it still offers many of the same features, including faster deployment and a compact size that makes it suitable for indoor use. In addition, the MSB-Compact is particularly suitable for locations where space is limited, such as busy urban areas or alongside railway tracks.

It features a 13.3 ft mast height that enables you to closely monitor all situations and is suitable for the most common applications in securing terrain, objects and people.

The COMPACT-MSB is also easy to handle, with a completely closed housing and an IP66 patch cabinet that makes installations quick and easy.



Specifications and Features

COMPACT-MSB Specifications

Size LxWxH in cm

62x80x180

Weight in kg

190

Total height with extended mast (in cm)

405

Maximum carrying weight in masttop (in kg)

60

Certifications

CE CERTIFIED / TÜV pending

Steel galvanised construction

Steel galvanised mast

Basic 3-part telescopic mast 80/60/40mm

COMPACT-MSB Features

Mobile compact unit easy to transport to site ✓

Easy to store ✓

Basic ground frame ✓

Easy to install by one engineer ✓

Forklift slots for easy transportation ✓

Lifting eyes, for easy transportation and deployment ✓

Stable Telescopic mast with an automatic safety stop ✓

Four spoke masttop for CCTV cameras or floodlight ✓

Spirit level for easy installation ✓

Cylinder lock ✓

Prepared for additional security lock ✓

Fully Lockable cabinet ✓

Vandal resistant cable conduit ✓

Roof climb protection ✓

Patchbox / IP66 box installed ✓

4 stabilising cables, reducing vibration and false alarms ✓

Stabilised by 4 stabilisers up to a wind speed of 85Km/h. ✓

Manual CE approved winch 550 kg ✓

4 Sides suitable for branding with logo's or messaging ✓

Double cabling in mast (safer for people and equipment) ✓

Sufficient space for installing batteries or fuel cells ✓

Hoisting mast RVS316 stainless steel cables ✓

Hydraulically pressed cable clamp ✓






Manual included ✓

Warning labels ✓

Nylon wheels with bearings ✓



Dimensions and Drawings



ROADBOX-MSB

A Flexible Highway Hero

The idea for the ROADBOX-MSB security cabinet came from our customers. We know that many of our customers use one of our standard trailers to transport our larger cabinets to their desired locations. For this purpose, we have designed a special MSB Minitrailer for the MSB-Compact. Purchased together makes the MSB-Roadbox!

This ROADBOX-MSB combination, is designed to give you the flexibility and rapid deploy ability of the MSB-Compact. Of course, you can still use the Minitrailer to independently transport your fleet of ROADBOX-MSB to various locations or you can deploy the Compact mast on site whilst on the trailer as a stable standalone mast.



Specifications and Features

ROADBOX-MSB Specifications

Size transport mode LxWxH in cm

240x139x228

Size operational mode LxWxH in cm

188x140x228 (drawbar excluded)

Weight in kg

365

Total height with extended mast (in cm)

452

Maximum carrying weight in masttop (in kg)

60

Certifications

CE CERTIFIED / TÜV pending

Steel galvanised construction

Steel galvanised mast

Basic 3-part telescopic mast 80/60/40mm

ROADBOX-MSB Features

Mobile trailer, unit easy to transport to site ✓

For transport or as a fixed mobile CCTV security solution ✓

Easy to store ✓

Easy to install by one engineer ✓

Heavy duty forklift slots, for easy transportation ✓

Lifting eyes, for easy transportation and deployment ✓

Stable Telescopic mast with an automatic safety stop ✓

Four spoke masttop for CCTV cameras or floodlight ✓

Spirit level for easy installation ✓

Cylinder lock ✓

Prepared for additional security lock ✓

Fully Lockable cabinet ✓

Vandal resistant cable conduit ✓

Roof climb protection ✓

Patchbox / IP66 box installed ✓

4 stabilising cables, reducing vibration and false alarms ✓

Stabilised by 4 stabilisers up to a wind speed of 85Km/h. ✓

Manual CE approved winch 550 kg ✓

2 Sides suitable for branding with logo's or messaging ✓

Double cabling in mast (safer for people and equipment) ✓

Sufficient space for installing batteries or fuel cells ✓

Hoisting mast RVS316 stainless steel cables ✓

Hydraulically pressed cable clamp ✓




Manual included ✓

Warning labels ✓

Nylon wheels with bearings ✓



Dimensions and Drawings



What meets your requirements?

Key features

Our expert team is ready to assist you in determining which security tower best suits your specific requirements and operational environment. We are more than willing to guide you in selecting the ideal security tower for your needs.

PRO-MSB



- CE certified
- Steel galvanised construction
- Standard 4-part steel telescopic mast
- Boxsize: 100x100x227cm
- Weight: 350 kg
- Maximum carrying weight on masttop: 60kg
- Height with extended mast: 600cm

ENTERPRISE-MSB




- CE certified/ TÜV approved
- Heavy duty Steel galvanised construction
- Heavy duty 4-part steel telescopic mast
- Boxsize: 101x101x234cm
- Weight: 416 kg
- Maximum carrying weight on masttop: 60kg
- Height with extended mast: 600cm

COMPACT-MSB



- CE certified/ TÜV approved
- Steel galvanised construction
- Standard 3-part steel telescopic mast
- Boxsize: 62x80x180cm
- Weight: 190 kg
- Maximum carrying weight on masttop: 60kg
- Height with extended mast: 405cm

XL-MSB



- CE certified/ TÜV approved
- Heavy duty Steel galvanised construction
- Heavy duty 5-part steel telescopic mast
- Boxsize: 114x114x250cm
- Weight: 502 kg
- Maximum carrying weight on masttop: 60kg
- Height with extended mast: 900cm

Feature	PRO-MSB	ENTERPRISE-MSB	COMPACT-MSB	XL-MSB
Mobile unit easy to transport to site	✓	✓	✓	✓
Easy to store	✓	✓	✓	✓
Basic ground frame	✓		✓	
Heavy duty ground frame		✓		✓
Easy to install by one engineer	✓	✓	✓	✓
Heavy duty forklift slots, for easy transportation	✓	✓	✓	✓
Forklift slots on 4 sides				✓
Lifting eyes, for easy transportation and deployment	✓	✓	✓	✓
Stable Telescopic mast with an automatic safety stop	✓	✓	✓	✓
Four spoke masttop for CCTV cameras or floodlight	✓	✓	✓	✓
Spirit level for easy installation	✓	✓	✓	✓
Two lockable doors to secure equipment	✓	✓		✓
Four lockable panels to secure equipment			✓	
3 point cylinder lock	✓	✓	✓	✓
Prepared for additional security lock	✓	✓	✓	✓
Completely closed (due to 2 Lockable top covers)	✓	✓	✓	✓
Vandalism resistant	✓	✓		✓
Vandal resistant cable conduit			✓	
Roof climb protection	✓	✓	✓	✓
Patchbox prepared	✓	✓		✓
IP66 patchbox installed			✓	
4 stabilising cables, reduce vibration and false alarms	✓	✓	✓	✓
Stabilised by 4 stabilisers up to a wind speed of 85Km/h	✓	✓	✓	✓
Manual CE approved winch	✓	✓	✓	✓
Sides suitable for branding with logo's or messaging	✓	✓	✓	✓
Double cabling in mast (safer for people and equipment)	✓	✓	✓	✓
Sufficient space for installing batteries or fuel cells	✓	✓	✓	✓
Hoisting mast RVS316 stainless steel cables	✓	✓	✓	✓
Hydraulically pressed cable clamp	✓	✓	✓	✓
Manual included	✓	✓	✓	✓
Warning labels	✓	✓	✓	✓
Nylon wheels with bearings	✓	✓	✓	✓

Easy to transport to site

Mobile Security Box Trailers

Efficiently transport Mobile Security Boxes with our specially designed trailers, eliminating the necessity for flatbed trucks. Load, lift, and drive with ease, ensuring a swift and straightforward journey to your site. This innovative solution enables the safe transportation of masts without the need for a flatbed truck, allowing for easy unloading and precise positioning even in challenging terrains.

Designed for single-person operation, our trailers simplify mast installation. Navigate limited space and access points effortlessly, manoeuvring masts into position with convenience. No specialised driving licence is required, ensuring safe transport on both UK and European roads. Streamline your mast logistics for quick and secure deployments.

**Load,
lift
and drive...**



Single Box Trailer:
model Trailer 1

Mobile Security Box Trailers



Minitrailer for boxmodel Compact:
model Trailer 3



Double Box Trailer:
model Trailer 2

Trailer 3

Trailer 1

Trailer 3

Maximum permissible weight:		
750kg	1300kg	2500kg
Own weight:		
170kg	375kg	650kg
Load capacity:		
750kg	925kg	1800kg
Loading space dimensions (LxW):		
62x80cm	125x125cm	250x125cm
Axle:		
Single axle 750 kg	Single axle 1300 kg	Twin axle 2500 kg
Braked axle(s)		
Yes	Yes	Yes
Lifting Mechanism:		
-	Hydraulic	Electric - hydraulic
Standard equipped with:		

- | | | |
|--|--|--|
| <ul style="list-style-type: none">• Heavy support wheel• Shock absorbers• Hot dip galvanised chassis | <ul style="list-style-type: none">• Heavy support wheel• Shock absorbers• Wheel chocks• Adjustable forks (width)• Tie hooks and rails• Hot dip galvanised chassis | <ul style="list-style-type: none">• Heavy support wheel• Shock absorbers• Wheel chocks• Adjustable forks (width)• Tie hooks and rails• Hot dip galvanised chassis |
|--|--|--|

Create your easy to install solution

Mobile Security Box Solar Equipped



The interior of the Mobile Security Box is designed to accommodate a patch cabinet for electronic equipment storage. It also offers ample space to house power sources and batteries, ensuring the security tower's autonomous operation. On the exterior, the tower is equipped for easy attachment of solar panels, enhancing its sustainability and energy efficiency. This comprehensive design allows for seamless integration of technology, offering a self-sufficient and environmentally conscious solution for mobile security needs.

With a focus on both internal functionality and external adaptability, this Mobile Security Box provides a versatile and efficient platform for safeguarding assets in various settings.





The design of the Compact-MSB and Roadbox-MSB seamlessly integrates cutting-edge technology, presenting a self-sufficient solution for diverse mobile security needs. The focus on internal functionality and external adaptability positions these towers as efficient platforms for safeguarding assets in various settings.

By addressing the needs of electronic equipment storage and power autonomy these towers exemplify a versatile and environmentally conscious approach to mobile security. The Compact and Roadbox redefine the landscape of mobile security solutions, setting a new standard for efficiency, adaptability, and environmental responsibility.



Creating
global
site security

