

Part No	90NX06C1-M00Y70
	
Sales Model Name	BR1402C-i381XA
EAN Code	4711636634557
UPC Code	199291634558
WEEE	1.15
BASE UNIT	VSNX06C1-BUC110
Operating System	Windows 11 Pro Education
Office	1-month trial for new Microsoft 365 customers. Credit card required.
LCD cover-material	Plastic
LCD cover-color	Mineral Grey
Top case-material	Plastic
Top case-color	Mineral Grey
Bottom case-material	Plastic
Bottom case-color	Mineral Grey
Military grade	US MIL-STD 810H military-grade standard
Panel Size	14.0-inch
Backlit	LED Backlit
OLED	
Brightness	250nits
Resolution	FHD (1920 x 1080) 16:9
Glare	Anti-glare display
Color gamut	NTSC: 45%
View angle(H/V)	178/178
Response time(Typ/Max) (ms)	25/30
Refresh rate	60Hz
Contrast (Typ)	700:1
Touch Panel	Non-touch screen
Screen-to-body ratio	
Pantone	
IPS-level	Wide view
VESA CERTIFIED	
Display HDR	
Processor	Intel® Core™ i3-N305 Processor 1.8 GHz (6MB Cache, up to 3.8 GHz, 8 cores, 8 Threads)
Neural processor	
Chipset	N/A
Discrete/Share	Share

Integrated GPU	Intel® UHD Graphics
VRAM	N/A
How to upgrade memory	
Expansion Slot(includes used)	1x DDR4 SO-DIMM slot 1x M.2 2280 PCIe 3.0x4
On board memory	
DIMM Memory	8GB DDR4 SO-DIMM
Total System Memory	DDR4 8GB
Storage	128G UFS
Front-facing camera	720p HD camera With privacy shutter
World-facing camera	
Wireless	Wi-Fi 6(802.11ax) (Dual band) 2*2 + Bluetooth® 5.2 Wireless Card
On board Wireless	
NumberPad	N/A
FingerPrint	FingerPrint
Keyboard type	Chiclet Keyboard
Keyboard language	English (UK)
I/O ports	1x USB 3.2 Gen 1 Type-C support display / power delivery 1x USB 2.0 Type-C 2x USB 3.2 Gen 1 Type-A 1x HDMI 1.4 1x 3.5mm Combo Audio Jack 1x RJ45 Gigabit Ethernet
Audio	Audio by Dirac Built-in speaker Built-in array microphone
Battery	50WHrs, 3S1P, 3-cell Li-ion
AC Adapter	TYPE-C, 65W AC Adapter, Output: 20V DC, 3.25A, 65W, Input: 100~240V AC 50/60Hz universal (Adapter+power cord)
Required charging power	Min: 35W Max: 65W *The indicated wattage is for demonstrating the system's support capability as required by EU regulations. For optimal system performance, please use the standard-wattage adapter or higher.
Dimension (WxHxD)	33.29 x 22.89 x 2.10 ~ 2.10 cm (13.11" x 9.01" x 0.83" ~ 0.83")
Starting Weight (with Battery)	1.54 kg (3.40 lbs)

Starting Weight (w/o Battery)	1.35 kg (2.98 lbs)
Security	Kensington Security Slot™ (7x 3mm) Fingerprint sensor Fingerprint sensor integrated with Power Key BIOS Booting User Password Protection BIOS setup user password HDD User Password Protection and Security Trusted Platform Module (TPM) 2.0 Support Absolute Persistence 2.0 (Computrace) N/A
Antivirus	N/A
MyASUS feature	System diagnosis Battery health charging Fan Profile Splendid Tru2Life Function key lock WiFi SmartConnect AppDeals Link to MyASUS
MyExpert Features	N/A
Built-in Apps	MyASUS
Disclaimer for Built-in Apps	Built-in Apps vary from OS SKU. *MyASUS/McAfee don't support in Clean Build/without OS/G sku/Win SE/Windows on ARM/Linux OS (ex. Endless, Kylin, Ubuntu)
Included in the Box	
Reparability Index (for France)	9.1
Reparability Index (for Belgium)	9.3
Ecolabels & Compliances	EPEAT Gold Energy star 8.0 FSC Mix REACH RoHS TCO Certified
Base Warranty	1Y Pick up/ return ZENCARE

Recommended Warranty Package Part number//Extensio n and/or upgrade service from base warranty	ACX10-003844NX//2Y International Extension ACX10-003860NX//4Y International Extension *If you would like to know the details, please contact your sales teams.
Battery warranty	Commercial NB B series Battery warranty follow system warranty, 4Y-5Y by WEP option.
Sustainable Material_Top cover(A part)	
Sustainable Material_Panel frame (B part)	
Sustainable Material_Keyboard frame (C part)	
Sustainable Material_Bottom cover (D part)	
Sustainable Material_Adaptor	
Sustainable Material_Battery	
Sustainable Material_Keyboard	
Sustainable Material_Speaker	
Sustainable Material_Total PCR recycled plastic	11%