MPN: 0070-08011-V2

Pluto 5MP Mini Dome Camera with 2.8mm Lens & IR 15m, PoE, IP66 - NDAA

Pluto-BX-125IR



- 1/2.8” progressive scan CMOS
- 2592×1944 @ 25/30fps 5MP
- 2.8mm fixed lens
- Smart IR working distance up to 15m
- WDR, 3D DNR, ROI, HLC, BLC, Defog
- Support face, human, vehicle detection and capture
- Built-in 1-ch microphone,1/1 audio in/out, 1/1 alarm in/out
- Power Supply DC12V / POE (IEEE 802.3af)
- IP66
- 5 Year Warranty
- ONVIF (Profile S/T/G/M), SDK, CGI

Specifications

Audio	**Audio input channels**	1 channels
	Audio output channels	1 channels
	Built-in microphone	Yes
Camera	**Camera pan control**	No
	Lens viewing angle, horizontal	93.4 °
	Lens viewing angle, vertical	69.1 °
Design	**Housing material**	Metal, Plastic
	International Protection (IP) code	IP66
	Mounting type	Ceiling/wall
	Product colour	White
Legal Information	**Country of Origin**	Vietnam
	Tariff No.	8525890000
	UNSPSC Code	46171610
Lens system	**Fixed focal length**	2.8 mm
Network	**Ethernet LAN**	Yes
	Wi-Fi	No
Night vision	**Infra-red wavelength**	850 nm
	LED type	IR
	Night vision	Yes
	Night vision distance	15 m
Operational conditions	**Operating relative humidity (H-H)**	1-90 %

Operational conditions	**Operating temperature (T-T)**	-40-50 °C
Other features	**Dimensions (WxDxH)**	99.6x99.6x63.3 mm
	Warranty period	5 year(s)
Package dimensions	**Gross Weight (Package, kg)**	1 kg
Performance	**Connectivity technology**	Wired
	NDAA Compliance	Yes
	Placement supported	Indoor & outdoor
	Type	IP security camera
Power	**Power consumption (max)**	5 W
	Power over Ethernet (PoE)	Yes
	Power source type	PoE, DC
Product dimensions	**Net Weight (Product, kg)**	0.38 kg
Security	**Alarm input channels**	1
	Alarm output channels	1
Storage	**Card reader integrated**	Yes
	Maximum memory card size	256 GB
Technical details	**Voltage**	12 V
Vendor information	**Brand Name**	Ernitec
	Warranty	5 Year(s)
Video	**Maximum resolution**	2592x1944 pixels
	Total megapixels	5 MP
	Video intelligence analytic	Yes

Other images

