

MPN: VLWALLPLATE1

Wall Plate Extender Kit - 2x1 USB-C & HDMI White

The Vivolink VLWALLPLATE1 is a premium wall plate extender designed for professional AV installations.

It provides seamless auto-switching between USB-C and HDMI inputs and supports ultra-high-definition 4K60Hz (4:4:4) signal transmission up to 60 meters over a single CAT cable. Perfect for meeting rooms, classrooms, and conference spaces, this sleek EU 1-gang wall plate combines modern connectivity with plug-and-play simplicity.

Key Features:

- <bulletlist><bullet>Dual Input Flexibility: Supports 1 x USB-C and 1 x HDMI input for maximum compatibility</bullet>
- <bullet>Clean EU Wall Plate Design: Fits standard 1-gang EU wall boxes for a discreet and professional finish</bullet></bulletlist>

The Vivolink VLWALLPLATE1 is your ideal solution for extending modern AV signals over long distances while maintaining a tidy, integrated wall-mounted design.

- Long-Distance Signal Transmission: Extends 4K@60Hz 4:4:4 or 1080p signals up to 60 meters using standard CAT5e/6 cable
- Power over Cable (PoC): Simplifies installation by supplying power from the receiver, eliminating the need for local power at the wall plate
- Automatic Source Switching: Detects and switches to the active input for a seamless user experience
- Downscaling Support: Ensures compatibility with displays that do not support 4K Optional Device Charging: Includes 5V USB-C power supply – charging available when needed
- HDMI 2.0 & HDCP 2.2 Compliant: Fully compatible with the latest AV devices
- Including HDMI Receiver (60m)



Specifications

Features	Bandwidth	18 Gbit/s
	Cable types supported	Cat6a
	CEC pass-through	Yes
	HDCP & EDID bypass	Yes
	HDCP pass-through	Yes
	LED indicators	Yes
	Maximum resolution	4096x2160 pixels
	Maximum transfer distance	60 m
	Product colour	Black
	Supported video modes	3840p
	Type	AV transmitter & receiver
	Wall mountable	Yes
Operational conditions	Operating temperature (T-T)	-5 - 55 °C
Packaging content	AC adapter included	Yes
	Included power plug types	EU

Packaging content	IR blaster included	No
	IR receiver included	No
	Mounting brackets included	Yes
Ports & interfaces	3.5 mm (1/8-inch) in	Yes
	3.5 mm (1/8-inch) out	Yes
	Connectivity technology	Wired
	DC-in jack	Yes
	HDMI in	1
	HDMI version	2.0
	Number of HDMI outputs	1
	RJ-45 input ports	1
	RJ-45 output ports	1
	Video in	1
	Video out	1
Power	AC input frequency	50 / 60 Hz
	AC input voltage	100 - 240 V
	External power adapter	Yes
	Input current	1 A
	Operating voltage	5 V
	Power consumption (max)	5 W
	Power over Ethernet (PoE)	Yes
Technical details	Audio support	Yes
Vendor information	Brand Name	Vivolink
	Warranty	5 Year(s)
Weight & dimensions	Dimensions (WxDxH)	Transmitter / Receiver: mm

Other images

