



# LinkRunner® Next Generation Network & Cable Testers

Built on the **AllyWare™** Common Technology Platform


[netally.com](http://netally.com)



# Purpose-Built with AllyWare™

The LinkRunner® family delivers fast, reliable copper and fiber network validation and troubleshooting, with the latest generation adding advanced Multi-gigabit testing powered by AllyWare™ technology.

Built on the AllyWare common technology platform and connected through Link-Live, NetAlly testers provide consistent data, streamlined collaboration and reporting, faster onboarding, and the flexibility for teams to use any tool with confidence.



AllyWare Capabilities	ESSENTIAL LINK TESTING			ADVANCED LINK TESTING			DEEPER NETWORK VISIBILITY				PERFORMANCE TESTING	COLLABORATION	
	AutoTest	EZ Wired	Cable Test	Ping/TCP	LANBERT™	Reflector or Peer	Capture	Network Discovery	Path Analysis	iPerf	Performance	Link-Live	App Store
<b>LinkRunner AT 1500</b>	•	•	•									•	•
<b>LinkRunner AT 3000</b>	•	•	•	•	•	•						•	•
<b>LinkRunner AT 4000</b>	•	•	•	•	•	•	•	•	•	•		•	•
<b>LinkRunner 10G</b>	•	•	•	•	•	•	•	•	•	•	•	•	•

\*Depending on each product's capabilities, AllyCare-enabled features can include Advanced Topology Mapping in Link-Live, and Remote View Control; these features are only available to customers with AllyCare Premium Support.

# LinkRunner® Next Generation Network & Cable Testers

Powered by **AllyWare™**

## LinkRunner AT 1500 NETWORK LINK & CABLE TESTER

The LinkRunner AT 1500 is built for frontline network technicians who need fast and comprehensive validation of copper network links and cables.


**MODEL:** LRAT-1500



## LinkRunner AT 3000 COPPER & FIBER ETHERNET AUTOTESTER

The LinkRunner AT 3000 is designed for frontline technicians and engineers who need fast and comprehensive validation of network links and powerful copper and fiber network connectivity troubleshooting.


**MODELS:** LRAT-3000 • LRAT-3000-KIT  
LINKSOLUTIONS-KT-3K



## LinkRunner AT 4000 ADVANCED ETHERNET TESTER

The LinkRunner AT 4000 is an advanced cable and network tester for Multigigabit NBASE-T and fiber Ethernet networks, including comprehensive network discovery and topology mapping with advanced diagnostics and problem detection for in-depth troubleshooting.


**MODELS:** LRAT-4000 • LRAT-4000-KIT  
LINKSOLUTIONS-KT-4K



## LinkRunner 10G ADVANCED MULTIGIGABIT/10G CABLE & NETWORK TESTER

As bandwidth demands grow, visibility into latency, and packet loss matters more than ever. Our high-performance handheld tester lets you quickly test, verify, and troubleshoot 1Gig, Multi-Gig, and 10Gig Ethernet at line rate.

**MODELS:** LR10G-200 • LR10G-200-KIT  
EXG-300-LR10G2-KIT



# Essential Link Testing

Powered by **AllyWare™**




Essential link testing apps allow you to verify cabling, connectivity, and configuration at the point of connection - eliminating guesswork, accelerating deployment, and preventing issues before they impact users.

## Why it matters →

- Eliminates guesswork
- Finds issues at the source
- Speeds installs and fixes
- Reduces escalations
- Delivers consistent results
- Protects network uptime


## Available on:

- LinkRunner AT 1500
- LinkRunner AT 3000
- LinkRunner AT 4000
- LinkRunner 10G




## AUTOTEST & PROFILES

Comprehensive network link test validates all aspects of network connectivity.



## CABLE TEST

Validate cabling for proper termination, test for length, common miswires, and distance to fault.



## EZ WIRED

Easily connect and view test results through a streamlined interface, while instantly identifying the nearest switch and key configuration details.

# Advanced Link Testing

Powered by **AllyWare™**




Advanced link testing apps validate connectivity, performance, and throughput to expose hidden issues early and ensure the network is ready for real-world traffic.

## Why it matters →

- Exposes user-impacting performance issues
- Accelerates multi-gig deployment verification
- Confirms real-world network readiness


## Available on:

- LinkRunner AT 3000
- LinkRunner AT 4000
- LinkRunner 10G




## PING/TCP TEST

Verify connectivity to on or off-network devices, ensure TCP port availability, trend results over 24 hours to detect intermittent issues.



## LANBERT™

LANBERT generates and measures the transmission of line-rate Ethernet frames over your network cabling infrastructure, qualifying its ability to support up to 1 Gbps on copper and fiber links.



## REFLECTOR OR PEER



Enables you to conduct end-to-end network performance tests when used with other NetAlly testers.

# Deeper Network Visibility

Powered by **AllyWare™**


Available on:

- LinkRunner AT 4000
- LinkRunner 10G




## CAPTURE

Packet capture for in-depth analysis.




## NETWORK DISCOVERY

Discover network devices, endpoints, and common problems across multiple VLANs, plus generate Topology Maps in Link-Live.



## PATH ANALYSIS

Shows the switch/router path to any connected device.




## IPERF

Runs an iPerf3 performance test to a NetAlly Test Accessory or an iPerf server endpoint.

# High Performance Testing

Powered by **AllyWare™**




High-performance testing is critical as today's networks operate at Multi-Gig and 10G speeds, where problems often only appear under full load. Testing at line rate ensures the network will perform as designed for the users, applications, and business operations depending on it.

## Why it matters →

- Validates real-world 2.5G, 5G, and 10G performance
- Identifies hidden cabling, configuration, and performance issues
- Accelerates deployment and improves efficiency
- Minimizes downtime and troubleshooting


## Available on:

- LinkRunner AT 10G




## 10G COPPER/FIBER PERFORMANCE TEST

Two LinkRunner 10G units can be used to test upstream/downstream network performance at line-rate for measuring bandwidth, QoS, and service provider SLAs between sites.



## MULTI-GIG LINK VALIDATION

Connect and test at line-rate 1, 2.5, 5, and 10 Gbps and warns on link speed 'downshifting'.



## LANBERT™

Generates and measures the transmission of line-rate Ethernet frames over your network cabling infrastructure, qualifying its ability to support up to 1G/10G on fiber and 100M/1G/2.5G/5G/10G on copper links.

# Collaboration, Reporting, and Apps

Powered by **AllyWare™**

Modern networks rely on shared insight, flexible tools, and clear documentation. Link-Live centralizes test results from all NetAlly handheld testers into a single platform for collaboration, reporting, and analysis, keeping teams aligned with one source of truth. An integrated App Store extends tester capabilities with third-party apps, helping teams work faster, reduce repeat work, and solve problems more efficiently.


## Why it matters →

- Single source for managing test results, devices, and projects
- Improves team efficiency through centralized visibility
- Expands the tester's capabilities by integrating third-party apps, giving you access to additional functions




### LINK-LIVE®

Unifies results, reporting, and data management in a secure cloud portal or containerized, licensed subscription version, to better manage jobs, improve staff efficiency, and facilitate team collaboration.



### APP STORE

Expand tester functionality through the use of third-party apps. **NOTE:** Product registration required to install third-party apps on the LinkRunner AT 1500 and AT 3000. Web remote control requires AllyCare Premium support.



### WI-FI CONNECTIVITY SUPPORT

Using an optional USB based Wi-Fi adapter provides on-the-go connectivity for uploading test results to Link-Live, web remote control, conducting basic Wi-Fi diagnostics, and more.

# Choose the Right LinkRunner for You

ALLYWARE TESTING FEATURE	LRAT-1500	LRAT-3000	LRAT-4000	LR10G-200
AUTOTEST & PROFILES	•	•	•	•
EZ WIRED	•	•	•	•
CABLE TEST	•	•	•	•
PING/TCP TEST		•	•	•
PERFORMANCE TEST REFLECTOR OR PEER <sup>1</sup>		Reflector	Reflector	Peer
LANBERT™ MEDIA QUALIFICATION <sup>1</sup>		Up to 1Gbps	Up to 1Gbps	Up to 10 Gbps
PERFORMANCE TEST CONTROLLER				•
NETWORK DISCOVERY			•	•
PATH ANALYSIS			•	•
PACKET CAPTURE			•	•
Iperf	Via Third-Party Apps		•	•
END USER RESPONSE TIME TEST (HTTP / FTP)			•	•
REMOTE VISIBILITY & CONTROL*	•	•	•	•
WI-FI CONNECTIVITY WITH OPTIONAL ADAPTER	•	•	•	•
PERIODIC AUTOTEST		•	•	•
CONNECT & VERIFY LINK SPEED/DUPLEX - 10M, 100M, 1G	•	•	•	•
CONNECT & VERIFY LINK SPEED/DUPLEX - MULTI-GIG/NBASE-T/10G				•
LINK SPEED DETECTION - MULTI-GIG, NBASE-T/10G	•	•	•	•
INTEGRATED CAMERA, MICROPHONE, AND MICRO SD CARD				•



## ALLYCARE PREMIUM SUPPORT BENEFITS

AllyCare is a comprehensive support and maintenance service for NetAlly's network tools that offers significant value over standard warranty. By maintaining your AllyCare membership throughout the life of your product you can ensure your NetAlly handheld network tester is kept up to date with the latest features and functionality.

- Latest Software Updates
- AllyCare-Enabled Product Features
- Accessory Replacement
- Repair Services Covered
- Priority Support

[LEARN MORE](#)

<sup>1</sup>LANBERT and Performance tests require the use of two units (or a loop-back), a controller and remote.

\*Requires AllyCare Premium Support

# Models

MODEL/NAME	DESCRIPTION
LRAT-1500	<b>Network Link &amp; Cable Tester</b> - includes: LinkRunner AT 1500 tester, Power Supply with regional power plugs, WireView Cable ID #1, Quick Start Guide, and small soft case.
LRAT-3000	<b>Copper &amp; Fiber Network AutoTester</b> - includes: LinkRunner AT 3000 tester, Power Supply with regional power plugs, WireView Cable ID #1, RJ-45 coupler, 850nm multimode 1 Gbps SFP, Quick Start Guide, and small soft case.
LRAT-3000-KIT	<b>Copper &amp; Fiber Network AutoTester Professional Kit</b> - includes: LinkRunner AT 3000 tester, Power Supply with regional power plugs, WireView Cable ID #1-#6, RJ-45 coupler, 850nm multimode 1 Gbps SFP, Holster, Quick Start Guide, and small soft case.
LINKSOLUTIONS-KT-3K	<b>Copper &amp; Fiber Network AutoTester Link Solutions Kit</b> - includes: (1) LinkRunner AT 3000 tester (LRAT-3000), (2) LinkSprinter network testers, (1) LinkRunner AT holster (HOLSTER-G3), and (2) LinkSprinter holsters.
LRAT-4000	<b>1G Advanced Ethernet Tester</b> - includes: LinkRunner AT 4000 tester with 1 year of AllyCare support (LRAT-4000-1YS), Power Supply with regional power plugs, WireView Cable ID #1, RJ-45 coupler, 850nm multimode 1 Gbps SFP, Quick Start Guide and Shoulder Sling Bag.
LRAT-4000-KIT	<b>1G Advanced Ethernet Tester Professional Kit</b> - includes: LinkRunner AT 4000 tester with 1 year of AllyCare support (LRAT-4000-1YS), Power Supply with regional power plugs, WireView Cable ID #1-#6, RJ-45 coupler, 850nm multimode 1 Gbps SFP, Holster, Quick Start Guide and Shoulder Sling Bag.
LINKSOLUTIONS-KT-4K	<b>1G Advanced Ethernet Tester Link Solutions Kit</b> - includes: (1) LinkRunner AT 4000 tester (LRAT-4000) with 1 year of AllyCare support (LRAT-4000-1YS), (2) LinkSprinter network testers, (1) LinkRunner AT holster (HOLSTER-G3), and (2) LinkSprinter holsters.
LR10G-200	<b>LinkRunner 10G Advanced Ethernet Tester</b> - includes: (1) LR10G mainframe with 1 year of AllyCare support (LR10G-200-1YS), G3-PWRADAPTER, SFP+MR-10G850, RJ-45 inline coupler, WireView wire mapper #1, Quick Start Guide, and shoulder sling bag.
LR10G-200-KIT	<b>LinkRunner 10G Professional Kit</b> - includes: (1) LR10G mainframe with 1 year of AllyCare support (LR10G-200-1YS), G3-PWRADAPTER, EXG-LR10G-HOLSTER, SFP+MR-10G850, SFP+MR 10G1310, RJ-45 inline coupler, WireView wire mapper #1-6, Quick Start Guide, and medium soft case.
EXG-300-LR10G2-KT-X2	<b>EtherScope nXG 10G Performance Kit</b> - includes: (1) EXG-300 mainframe, (1) LR10G-200 mainframe, (2) EXG-LR10G2-HOLSTER, (1) NXT-2000 Spectrum Analyzer, (2) G3-PWRADAPTER, (2) SFP+MR-10G850, (2) SFP+MR-10G1310, (2) RJ-45 inline coupler, (1) EXT-ANT-TRIBAND, (1) TEST-ACC, (2) WIREVIEW 1-6, (2) Quick Start Guide, (1) large softcase. Each unit comes with 1 year AllyCare support (EXG-300-1YS and LR10G-200-1YS). Purchase EXG-300-1YS and LR10G-200-1YS for an additional 1 year AllyCare Support or EXG-300-3YS and LR10G-200-3YS for an additional 3 years of AllyCare support.



LinkRunner AT 1500



LinkRunner AT 3000 KIT



LinkRunner AT 4000 KIT



LinkRunner 10G KIT



Products that are sold with 1-year AllyCare Support included have certain features and capabilities enabled. At the end of your existing contract, you must renew your AllyCare Support contract to continue utilizing the enabled features. AllyCare Support may not be available in all countries. Please confirm with your NetAlly representative before purchasing.



**Toll-Free (North America) 1-844-878-2559**  
**International +1-719-755-0770**