MPN: 0070-24143-SL-AD

# 43"  Full HD 24/7 Slimline Digital Signage Display, with Android player and WiFi

**43" Slimline Digital Signage Window Display – Android Plug & Play, Full HD**




Present your advertising with maximum impact using this professional 43" slimline digital signage display from Ernitec Technologies. Designed for window-facing applications, this sleek and modern display combines high image quality, easy content management, and reliable 24/7 commercial performance.

Featuring a Full HD resolution (1920 × 1080) and a high-brightness commercial panel (450 cd/m²), the screen delivers sharp, vibrant visuals that remain clearly visible in retail environments and storefront windows. The ultra-slim tablet-style design with tempered glass front provides a premium appearance while protecting the display in busy public environments.

With support for both landscape and portrait orientation, built-in speakers, Wi-Fi, Bluetooth and commercial-grade components, this display is ideal for professional digital signage installations requiring reliable continuous operation.

**Ideal Applications**
<bulletlist><bullet>Retail window advertising</bullet>
<bullet>Storefront promotions and branding</bullet>
<bullet>Shopping centres and boutiques</bullet>
<bullet>Restaurants and menu boards</bullet>
<bullet>Corporate reception and information displays</bullet>
<bullet>Hospitality and service environments</bullet></bulletlist>

**Why Choose This Slimline Display?**
This slimline digital signage display offers the perfect balance of professional performance, elegant design, and easy content management. With plug-and-play simplicity and commercial-grade reliability, it is an ideal solution for businesses looking to upgrade their window advertising with modern digital signage.

- 43" Full HD digital signage display (1920 × 1080)
- High brightness 450 cd/m² panel for window-facing environments
- Integrated Android media player with plug-and-play USB updates
- Ultra-slim, tablet-style design with tempered glass front
- Supports both landscape and portrait installation
- Built-in speakers, Wi-Fi 6 & Bluetooth 5.4
- Built-in player with Android 14 (8GB RAM/64GB internal storage)
- Commercial-grade panel designed for 24/7 continuous use
- Free wall mount included
- 5-year warranty

## Specifications

| | | |
|---|---|---|
| **Design** | **Market positioning** | Professional |
| | **Product colour** | Black |

| | | |
|---|---|---|
| **Display** | **Aspect ratio** | 16:9 |
| | **Display brightness** | 450 cd/m² |
| | **Display brightness (typical)** | 450 cd/m² |
| | **Display diagonal** | 43 " |
| | **Display number of colours** | 16.7 million colours |
| | **Display resolution** | 1920 x 1080 pixels |
| | **Display technology** | LCD, LED |
| | **HD type** | Full HD |
| | **LED backlight** | Yes |
| | **Native aspect ratio** | 16:9 |
| | **Response time** | 5 ms |
| | **Viewing angle, horizontal** | 178 ° |
| | **Viewing angle, vertical** | 178 ° |
| **Ergonomics** | **On Screen Display (OSD) languages** | English |
| | **Panel mounting interface** | 200 x 200 mm |
| | **VESA mounting** | Yes |
| **Network** | **Bluetooth** | Yes |
| | **Bluetooth version** | 5.4 |
| | **Ethernet LAN** | Yes |
| | **Wi-Fi** | Yes |
| | **Wi-Fi standards** | Wi-Fi 6 (802.11ax) |
| **Other features** | **Active display area (W x H)** | 941.2mm(W)×529.4mm(H) mm |
| | **Certification** | EMC Class A |
| | **Comb filter** | 3D |
| | **Dimensions (WxDxH)** | 600x80x940 mm |
| | **Easy to install** | Yes |
| | **Mean time between failures (MTBF)** | 50000 h |
| | **Noise filter** | Yes |
| | **Operating system** | Android 14 |
| | **Package dimensions (WxDxH)** | 700x250x1060 mm |
| | **Power cord included** | Yes |
| | **Touchscreen** | No |
| | **Weight** | 30000 g |
| **Performance** | **Operating hours (hours/days)** | 24/7 |
| **Ports & interfaces** | **AC (power) in** | Yes |
| | **HDMI** | Yes |
| | **HDMI ports quantity** | 2 |
| | **HDMI version** | 2.0 |
| | **VGA (D-Sub) ports quantity** | 1 |

| | | |
|---|---|---|
| **Power** | **AC input frequency** | 50/60 Hz |
| | **AC input voltage** | 100-240 V |
| | **Socket connector type** | C13 |
| **Thin Client** | **Internal memory** | 8196 MB |
| | **Processor architecture** | ARM Cortex-A53+Cortex-A72 |
| | **Processor cores** | 8 |
| | **Processor model** | Rockchip RK3576 |
| | **SSD capacity** | 64 GB |
| **Vendor information** | **Brand Name** | Ernitec |
| | **Homepage** | http://www.ernitec.com |
| | **Warranty** | 5 Year(s) |

## Other products in this series

| Display diagonal | |
|---|---|
| **32** | 0070-24132-SL-AD |
| **43** | 0070-24143-SL-AD |
| **49** | 0070-24149-SL-AD |
| **55** | 0070-24155-SL-AD |

## Other images

