

# Product datasheet

Specifications



## APC NetShelter Rack PDU Advanced Switched Metered, 0U, 3 Phase, 415V, 69.0kVA 100A, 48 Outlets

APDU11590SM

### Main

Colour	Black
Product or component type	PDU
PDU type	Switched metered outlet

### Complementary

Input Voltage	415 V AC 3 phases
Height	2030 mm
Width	85 mm
Output Voltage	415 V AC 3 phases
Depth	85 mm
Product weight	22.8 kg
Mounting location	Front Rear
Mounting preference	No preference
Input Plug Type	IEC 309 100 A
Mounting mode	Rack-mounted
Rack units	0U
Mounting position	Vertical
Input current limits	100 A
Network frequency	50/60 Hz
Plug standard	IEC 60309
Outlet type and quantity	24 C13/C15/C19/C21 24C13/C15

### Environment

IP degree of protection	IP67
Ambient air temperature for operation	-5...60 °C
Relative humidity	5...90 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-20...60 °C
Storage Relative Humidity	5...95 %
Storage altitude	0...15240 m

Rates duty January 2016

# Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	232 cm
Package 1 Width	35 cm
Package 1 Length	16.5 cm
Package 1 Weight	28.6 kg



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better



#### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
SCIP Number	31346aed-552c-4a16-81d9-e683a383b6da
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>
PVC free	No
Silicone-free	Yes

### Use Longer



#### Lifetime extension

Repair	No
Updatability	Yes

### Use Again



#### Repack and remanufacture

Take-back	Yes
-----------	-----

Image of product / Alternate images

Alternative

---

