

Product datasheet

Specifications



NetBotz 750 Rack Mount Appliance for Europe



NBRK0750EU

EAN Code: 3606488055098

Main

Product or component type	Industrial rack PC
Range of product	Netbotz
Number of rack unit	1U
Communication port protocol	A-Link DHCP HTTPS IPv4 SNMP v1 SNMP v3 SSH v2 TCP/IP
Provided equipment	Rack mounting brackets Temperature/humidity sensor USB cable
Product compatibility	Rack sensor pod 150 Room sensor pod 155

General

Camera frame rate	Up to 30 fps
Display resolution	Up to 1280x1024
Universal sensor supported	0-5V Door contact Dry contact Humidity Smoke Fluid spot leak Temperature Vibration
Number of universal sensor ports	6
Number of sensor pods supported	12
Number of universal sensors supported	78
Number of supported camera	4

Physical

Colour	Black
Height	4.3 cm
Width	43.2 cm
Depth	17.8 cm
Product weight	2.45 kg

Rates duty January 2016

Mounting location	Front Rear
Mounting preference	No preference
Mounting mode	Rack-mounted
Mounting position	Horizontal

Conformance

Standards	CSA C22.2 No. 60950-1-03 FCC part 15 class A ICES-003 UL 60950-1
Product certifications	2014/30/EU AS/NZS 3548 (C-Tick) class A CE EMC directive 2004/108/EC VCCI class A

Environmental

Ambient air temperature for operation	0...40 °C
Operating altitude	0...10000 ft
Relative humidity	0...95 %
Ambient air temperature for storage	-15...65 °C
Storage altitude	0...15240 m
Storage Relative Humidity	0...95 %

Communications & Management

Communication network type	RJ45 10/100/1000 Base-T
-----------------------------------	-------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.500 cm
Package 1 Width	31.500 cm
Package 1 Length	53.500 cm
Package 1 Weight	4.163 kg
Unit Type of Package 2	S04
Number of Units in Package 2	2
Package 2 Height	30 cm
Package 2 Width	40 cm
Package 2 Length	60 cm
Package 2 Weight	8.976 kg
Unit Type of Package 3	P12
Number of Units in Package 3	8
Package 3 Height	45.000 cm
Package 3 Width	80.000 cm

Package 3 Length 120.000 cm

Package 3 Weight 47.904 kg



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	670 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	25 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.4 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.4 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	639 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	4 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	49
End of life manual availability	End of Life Information

Offer Marketing Illustration

Product benefits / Features

NetBotz 750

Benefits



Strengthen Infrastructure Visibility

Enhanced environmental and access monitoring gives you better oversight, helping you protect critical assets and avoid costly disruptions.



Improve Incident Awareness

Monitor up to 4 camera streams for fast issue detection with clear video, even in low-light, backed by multi-day event capture.



Maximize Management Value

Seamless integration with your DC management tools delivers unified monitoring, improving control, efficiency, and decision-making across your infrastructure.



Image of product / Alternate images

Alternative

