

Product datasheet

Specifications



NetBotz 755 Wall Mount Appliance for Europe

NBWL0755EU

EAN Code: 3606488055104

Main

Product or component type	Industrial rack PC
Range of product	Netbotz

General

Camera frame rate	Up to 30 fps
-------------------	--------------

Universal sensor supported	0-5V Door contact Dry contact Fluid spot leak Humidity Smoke Temperature Vibration
----------------------------	---

Number of universal sensor ports	4
----------------------------------	---

Physical

Colour	Black
--------	-------

Height	14.0 cm
--------	---------

Width	24.4 cm
-------	---------

Depth	9.1 cm
-------	--------

Product weight	1.56 kg
----------------	---------

Mounting preference	No preference
---------------------	---------------

Mounting mode	Not rack-mountable
---------------	--------------------

Environmental

Ambient air temperature for operation	0...45 °C
---------------------------------------	-----------

Operating altitude	0...3000 m
--------------------	------------

Ambient air temperature for storage	-15...65 °C
-------------------------------------	-------------

Storage altitude	0...15000 m
------------------	-------------

Communications & Management

Communication network type	10/100/1000BASE-T
----------------------------	-------------------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Rates duty January 2016

Package 1 Height	12.1 cm
Package 1 Width	31.8 cm
Package 1 Length	53.3 cm
Package 1 Weight	3.72 kg



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	1 457 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	16 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.2 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.2 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	1 438 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	3 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	49
End of life manual availability	End of Life Information

Offer Marketing Illustration

Product benefits / Features

NetBotZ 755

Benefits



Protect Distributed Sites

Easily deploy monitoring and surveillance across edge locations without rack space, ensuring consistent protection for widely distributed IT environments.



Simplify Edge Deployment

Combine surveillance, access control, and environmental monitoring in one appliance for faster setup and reduced complexity across your sites.



See Issues Instantly

Real-time temperature and humidity visibility helps you quickly detect environmental risks and maintain stable, reliable infrastructure conditions.