





HPE PROLIANT COMPUTE DL380A GEN12

Ultra-scalable GPU acceleration for enterprise AI inferencing




Explore the HPE ProLiant Compute DL380a Gen12, a robust solution from HPE that enables you to stay at the forefront of AI inferencing.



* Product configuration and appearance may vary

Figure 1. HPE ProLiant Compute DL380a Gen12 Server—Front system detail


- | | |
|---|---|
| 1. Serial number label pull tab | 5. NIC status LED |
| 2. Quick removal access panel | 6. UID button/LED |
| 3. Power On/Standby button and system power LED | 7. GPU cage (8 DW GPUs) |
| 4. Health LED | 8. 1U drive cage (up to 8 SFF or 8 EDSFF 1T drives) |



* Product configuration and appearance may vary

Figure 2. HPE ProLiant Compute DL380a Gen12 Server—Rear system detail

- | | |
|---|--------------------------------------|
| 1. Power supply for the system board | 6. Power supply for the system board |
| 2. Power supplies for GPU auxiliary power | 7. VGA |
| 3. Primary riser slots 1-3 | 8. Two (2) USB 3.0 ports |
| 4. Secondary riser slots 4-6 | 9. HPE iLO management port |
| 5. Power supplies for GPU auxiliary power | 10. OCP 3.0 slot 1 |
| | 11. OCP 3.0 slot 2 |



* Product configuration and appearance may vary

Figure 3. HPE ProLiant Compute DL380a Gen12 Server—Interior View

- | | |
|---|---|
| 1. Up to eight (8) DW NVIDIA® H200 NVL Tensor Core GPUs | 5. Secondary riser slots 4-6 |
| 2. Four (4) hot plug fans with N+1 redundancy | 6. Primary riser slots 1-3 |
| 3. Chassis intrusion switch (optional) | 7. Up to 8x hot pluggable, redundant power supplies |
| 4. Internal USB port | 8. Two (2) Intel® Xeon® 6 CPUs (hidden by bale) |



Learn more at

HPE.com/ProLiant/DL380a-gen12

NVIDIA.com/en-us/data-center/H200/

Intel.com/content/www/us/en/products/details/processors/Xeon.html

Visit HPE.com

[Chat now](#)

© Copyright 2026 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Intel Xeon is a trademark of Intel Corporation or its subsidiaries in the U.S. and/or other countries. NVIDIA is a trademark and/or registered trademark of NVIDIA Corporation in the U.S. and other countries. All third-party marks are property of their respective owners.

a00142393ENW, Rev. 1

HEWLETT PACKARD ENTERPRISE

hpe.com

