

HC221HFB

54.5 cm / 21.45" Diagonal
LED Backlight – Format 16:9

- 21.45" 16:9 LED Backlit Monitor
- Full HD Resolution 1920 x 1080 @ 100Hz
- 178° / 178° Ultra Wide Viewing Angle
- Inputs : HDMI, VGA
- Frameless Bezel Design
- Slim Profile
- Tilt and Wall-Mountable (VESA Compatible)
- Low Power Consumption
- Multiple Video Modes



54.5 cm / 21.45"


Part No : HC221HFB

21.45"

21.45" 54.5 cm
16:9 Aspect Ratio



VGA
HDMI



178° Ultra Wide
Viewing Angle



Narrow
Bezel



Full HD
1920 x 1080



100Hz
Refresh Rate



VESA
Wall-Mountable



Tilt

Display Size	54.5cm /21.45" Diagonal White LED-Backlight
Panel Type	TFT – LED Backlight, VA Panel (*)
Aspect Ratio	16:9
Resolution (H x V)	1920 x 1080 Full HD
Brightness	250 cd/m ² (Typical)
Contrast	4.000:1 (Typical); 1,000.000:1 (Active)
Viewing Angle L/R; U/D	178° H / 178° V (CR >10)
Response Time	6 .5msec(TYP.); 3ms (with OD)
Pixel Pitch	0.0831 (H) x 0.241 (V) mm
Panel Surface	Anti-Glare, Haze level 25%; Hard coating 3H
Display Colors	16.7M Colors
Horizontal Frequency	30 ~ 200 kHz
Vertical Frequency	48 ~ 100 Hz
Max Display Frequency	1920 x 1080 @ 100Hz
Input 1	D-Sub (VGA)
Input 2	HDMI (Ver. 1.4)
Speakers	N/A
Power Consumption	On: 13.65W; Stand-by: 0.18W; Off: 0.15W
Power Supply	External Power Supply: 12 Volt / 3A Input: AC 100 ~ 240 Volt; 50 ~ 60 Hz
Product Dimensions	492.06 x 185 x 374.65 mm with Stand (W x D x H) 492.06 x 41.5 x 283.29 mm without Stand (W x D x H)
Packing Dimensions	569 x 129 x 371mm (W x D x H)
Net / Gross Weight	1.95 Kg / 3.2 Kg

VESA Mounting	75 x 75 mm
Monitor Stand	Fixed Stand
Tilt / Kensington Lock	-5° ~ 20° (±2°) / Yes
Pivot / Swivel	No / No
Controls	Menu / ▲ (Bri) / ▼ (Vol) /Return(Input) / Power
Color	Warm, Natural, Cool, User Mode
Preset Mode	PC, ECO, Movie, Game
On Screen Display	15 OSD Languages
Accessory	Power Supply; HDMI Cable (1.5m); Warranty Card; Quick Start Guide

Supplier's Name	HANNspree
Model Name	HC221HFB
Energy efficiency class for standard Dynamic Range (SDR)	E
Annual Energy Power Consumption (kWh/1000h)	15 kWh/1000h
On mode power demand for Standard Dynamic Range (SDR)	15 W
Off mode power demand (W)	0.3 W
Standby mode power demand (W)	0.5 W
Screen Diagonal (cm / inches)	54.5cm / 21.45"
Resolution	1920 x 1080

PART NO.:
HC221HFB

EAN CODE
4711404025075

© HANNspree Europe Holdings B.V. Specifications and design as well as accessories are subject to change without notice. Screen shots are simulated. Actual products may differ slightly from those illustrated on this promotion material. Please refer to actual samples for final selection. The products displayed on this promotion material may not be available for purchase in your particular country or locality. Please check with your local HANNspree authorized representatives for the availability of specific products in your area. All brand, product, Service names and logos are trademarks and/or registered trademarks of their respective manufactures and Companies.

* "VA" word mark / trademark and related patents on technologies belong to their respective owners.

Display Solutions

