



MORE INFORMATION



MANUALS




All materials are compatible
with RoHS requirements.

ENGINEERED WITH PASSION



BioniX P14 A-RGB

140 mm PWM-Fan with Daisy Chain



Specifications BioniX P14 A-RGB

General Specifications

Warrenty	6 Years
Operating Ambient Temperature	0–40 °C
Dimensions	140 (L) x 140 (W) x 28 (H) mm


Fan Specifications

Fan Speed	400–2500 rpm (PWM controlled), 0 rpm below 5 % PWM
Airflow	110 cfm 186 m³/h
Static Pressure	5.4 mmH ₂ O
Fan Bearing	Fluid Dynamic Bearing
Typical Voltage	12 V DC
Start Up Voltage	5 V DC
Current	0.39 A
Connector	2x Input/Output Sockets


RGB Specifications

LEDs	16x A-RGB LEDs
Current Voltage	0.6 A 5VDC


P/Q Curve



PWM Control Curve




Dimensions




Accessories BioniX P14 A-RGB


Input Cable




4-Pin Fan Plug




LED Connector | 3-Pin A-RGB Plug



Bridge Cable



Bridge Module



Shipping Information BioniX P14 A-RGB	
Box Dimensions	144 (L) x 178 (W) x 32 (H) mm
Gross Weight	331 g
SKU	ACFAN00339A
EAN	4895265001079
UPC	840033403740
Box Content	BioniX P14 A-RGB (Black) x1 Input Cable (400 mm) (Black) x1 Bridge Module (Black) x2 Mounting Screws x4

Shipping Information BioniX P14 A-RGB (White)	
Box Dimensions	144 (L) x 178 (W) x 32 (H) mm
Gross Weight	338 g
SKU	ACFAN00340A
EAN	4895265001086
UPC	840033403757
Box Content	BioniX P14 A-RGB (White) x1 Input Cable (400 mm) (White) x1 Bridge Module (White) x2 Mounting Screws x4

Shipping Information BioniX P14 A-RGB – 3 Pack	
Box Dimensions	144 (L) x 178 (W) x 93 (H) mm
Gross Weight	928 g
SKU	ACFAN00341A
EAN	4895265001093
UPC	840033403764
Box Content	BioniX P14 A-RGB (Black) x3 Input Cable (400 mm) (Black) x1 Bridge Cable (Black) x1 Bridge Module (Black) x4 Mounting Screws x12

Shipping Information BioniX P14 A-RGB (White) – 3 Pack	
Box Dimensions	144 (L) x 178 (W) x 93 (H) mm
Gross Weight	943 g
SKU	ACFAN00342A
EAN	4895265001109
UPC	840033403771
Box Content	BioniX P14 A-RGB (White) x3 Input Cable (400 mm) (White) x1 Bridge Cable (White) x1 Bridge Module (White) x4 Mounting Screws x12