# Product datasheet

Specifications

## APC NetShelter Cable Manager, for 42U- 750W NetShelter SX, Vertical, 1778H x 97W x 160D mm

AR7580A

**EAN Code: 0731304300816**

## Overview

| | |
|---|---|
| **Presentation** | The vertical channels have smooth plastic fingers at 1U increments to allow patch cords to enter and exit in an organized manner. |

## Main

| | |
|---|---|
| **Product or component type** | Cable organizer |
| **Provided equipment** | Installation guide<br>Mounting hardware<br>6 x cable retainers with snap hinges<br>Top securing bracket |

## Physical

| | |
|---|---|
| **Colour** | Black |
| **Height** | 1778 mm |
| **Width** | 97 mm |
| **Depth** | 160 mm |
| **Product weight** | 4.09 kg |
| **Mounting location** | Front<br>Rear |
| **Mounting preference** | No preference |
| **mounting mode** | Rack-mounted |

## Conformance

| | |
|---|---|
| **Product certifications** | TAA compliance |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Number of Units in Package 1** | 1 |
| **Package 1 Height** | 20.3 cm |
| **Package 1 Width** | 107 cm |
| **Package 1 Length** | 14.9 cm |
| **Package 1 Weight** | 4.91 kg |

## Logistical informations

| | |
|---|---|
| **Country of origin** | US |

## Contractual warranty

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Warranty (in months)** | 24 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Total lifecycle Carbon footprint | **17 kg CO2 eq.** |
| Carbon footprint of the manufacturing phase [A1 to A3] | **16 kg CO2 eq.** |
| Carbon footprint of the distribution phase [A4] | **0.4 kg CO2 eq.** |
| Carbon footprint of the installation phase [A5] | **0 kg CO2 eq.** |
| Carbon footprint of the use phase [B2, B3, B4, B6] | **0 kg CO2 eq.** |
| Carbon footprint of the end-of-life phase [C1 to C4] | **0.4 kg CO2 eq.** |
| Environmental Disclosure | **Product Environmental Profile** |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **No** |
| Packaging without single use plastic | **No** |
| EU RoHS Directive | **Compliant** |
| REACh Regulation | **Free of Substances of Very High Concern above the threshold** |

## Use Longer

### Lifetime extension

| | |
|---|---|
| Repair | **No** |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Recyclability potential, in % | **95** |
| End of life manual availability | **No need of specific recycling operations** |
| Take-back | **No** |
| WEEE Label | **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins** |

Image of product / Alternate images

**Alternative**