

# LED BASE CL B 40 5.7 W/827 E14

LED BASE CLASSIC B | LED lamps, classic mini-candle shape







# Product datasheet

### Technical data

### **Electrical data**

Rated wattage	5.70 W
Nominal wattage	5.70 W
Nominal voltage	220240 V
Operating frequency	5060 Hz
Power factor λ	> 0.50
Claimed equiv. conventional lamp power	40 W


### Photometrical data

Nominal luminous flux	470 lm
Rated luminous flux	470 lm
Color temperature	2700 K
Color rendering index Ra	≥80
Light color (designation)	Warm White
Standard deviation of color matching	≤6 sdcm

## Light technical data

Warm-up time (60 %)	< 0.50 s	
Starting time	0.0 s	

# Dimensions & weight



Overall length	106.0 mm
Diameter	35.0 mm
Outer bulb	B35
Length	106.0 mm

### Lifespan

### Product datasheet

Nominal lamp life time	15000 h
Rated lamp life time	15000 h
Number of switching cycles	100000
Lumen main.fact.at end of nom.life time	0.70
Lumen maintenance at end of service life	0.70

### Additional product data

Base (standard designation)	E14		
Mercury content	0.0 mg		
Mercury-free	Yes		
Design / version	Frosted		
Appropriate disposal acc. to WEEE	Yes		
Product remark	All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value/In development, data preliminary		

### **Capabilities**

### Certificates & standards

Energy efficiency class	A+	
Energy consumption	6 kWh/1000h	

### **Country specific categorizations**

ILCOS	DRBB/F-5,7-220-240-E14-38/110	
Order reference	BASECLB40 5,3W/	

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899955509	LED BASE CL B 40 5.7 W/827 E14	Shipping carton box 30	243 mm x 206 mm x 121 mm	6.06 dm <sup>3</sup>	2020.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

# Product datasheet Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.