


MPN: UTP510W

CAT5e U/UTP Network Cable 10m, White

CAT5e cables enables a convenient and reliable connection from one network device, such as switch, modem or router, to another or to the infrastructure at large through a patch panel, keystone jack or wall outlet. This cable are also used a lot in small office and home network and entertainment applications. These cables are tested up to 100MHz (CAT5e standard) and are backwards compatible with CAT5 cables.

- To order a full box, please select the following quantity: 30 pcs.
- Suitable for Gigabit (10/100/1000 Mbit) network
- CAT5e tested up to 100MHz
- with Latch Protection
- with slimline relief
- with gold plated PINs



Specifications

| | | |
|--------------------------------|---------------------------|---|
| Features | AWG wire size | 26 |
| | Cable length | 10 m |
| | Cable shielding | U/UTP (UTP) |
| | Cable standard | Cat5e |
| | Conductor material | Copper |
| | Conductor type | Stranded |
| | Connector 1 | RJ45 |
| | Connector 1 gender | Male |
| | Connector 2 | RJ45 |
| | Connector 2 gender | Male |
| | Data transfer rate | 1000 Mbit/s |
| | Frequency | 100 MHz |
| | Jacket material | Polyvinyl chloride (PVC) |
| | Product colour | White |
| | RoHS compliance | Yes |
| Other features | Product series | Round Cable |
| | Technical features | Kink Protection, strain relief and Latch Protection |
| Packaging data | Quantity per pack | 1 pc(s) |
| Vendor information | Brand Name | MicroConnect |
| | Homepage | https://microconnect.me/ |
| | Warranty | 25 Year(s) |
| Weight & dimensions | Outer diameter | 5 mm |

Other products in this series

| Cable length | Black | Blue | Green | Grey |
|--------------|----------|----------|----------|---------|
| 0.3 | UTP5003S | UTP5003B | UTP5003G | UTP5003 |
| 0.5 | UTP5005S | UTP5005B | UTP5005G | UTP5005 |
| 1 | UTP501S | UTP501B | UTP501G | UTP501 |
| 1.5 | UTP5015S | UTP5015B | UTP5015G | UTP5015 |
| 2 | UTP502S | UTP502B | UTP502G | UTP502 |
| 3 | UTP503S | UTP503B | UTP503G | UTP503 |
| 5 | UTP505S | UTP505B | UTP505G | UTP505 |
| 7 | UTP507S | UTP507B | UTP507G | UTP507 |
| 10 | UTP510S | UTP510B | UTP510G | UTP510 |
| 12 | | | UTP512G | |
| 15 | UTP515S | UTP515B | UTP515G | UTP515 |
| 20 | UTP520S | UTP520B | UTP520G | UTP520 |
| 25 | | | | UTP525 |
| 30 | | | | UTP530 |
| 35 | | | | UTP535 |
| 40 | | | | UTP540 |
| 50 | | | | UTP550 |

| Cable length | Red | White | Yellow |
|--------------|----------|----------|----------|
| 0.3 | UTP5003R | UTP5003W | UTP5003Y |
| 0.5 | UTP5005R | UTP5005W | UTP5005Y |
| 1 | UTP501R | UTP501W | UTP501Y |
| 1.5 | UTP5015R | UTP5015W | UTP5015Y |
| 2 | UTP502R | UTP502W | UTP502Y |
| 3 | UTP503R | UTP503W | UTP503Y |
| 5 | UTP505R | UTP505W | UTP505Y |
| 7 | UTP507R | UTP507W | UTP507Y |
| 10 | UTP510R | UTP510W | UTP510Y |
| 12 | | | |
| 15 | UTP515R | UTP515W | UTP515Y |
| 20 | UTP520R | UTP520W | UTP520Y |
| 25 | | UTP525W | |
| 30 | | UTP530W | |
| 35 | | UTP535W | |
| 40 | | UTP540W | |

| Cable length | Red | White | Yellow |
|--------------|-----|---------|--------|
| 50 | | UTP550W | |

Other images

