



Delock TETRA Antenna 450 - 470 MHz 5 dBi 36.6 cm omnidirectional screw mount

Description

This antenna by Delock allows to use the TETRA frequency range 450 - 470 MHz indoors and outdoors.



Specification

• Connector: M6 internal screw thread

· Application: TETRA

• Frequency range: 450 - 470 MHz

Antenna gain: 5 dBiImpedance: 50 Ohm

• VSWR: 2.6

Polarisation: linearPower handling: 50 WAntenna type: rod antenna

· Mounting type: screw mounting

• Operating temperature: -30 °C ~ 70 °C

• Length: ca. 36.6 cm

Item No. 12445

EAN: 4043619124459

Country of origin: Taiwan, Republic of

China

Package: Poly bag

System requirements

· Antenna base with M6 external screw thread

Package content

TETRA antenna

Images







| General | |
|---------------------------|--------------------------|
| Mounting type: | Screw mounting |
| Suitable for indoor: | yes |
| Suitable for outdoor: | yes |
| Interface | |
| connector: | M6 Internal Screw Thread |
| Technical characteristics | |
| Frequency range: | 450 - 470 MHz |
| Antenna gain: | 5 dBi |
| Impedance: | 50 Ω |
| Operating temperature: | -30 °C ~ 70 °C |
| Polarisation: | linear |
| Power handling: | 50 W |
| VSWR: | 2.6 |
| Physical characteristics | |
| Antenna type: | Rod antenna |
| Length: | 36.6 cm |
| Colour: | black |
| Thread type: | M6 |