

HPE Smart Rate for multi-gigabit performance

Increase bandwidth and future-proof your network edge

HPE 
GreenLake





A new era of edge connectivity

More data than ever is generated at the edge. While this creates new opportunities for your business, it also creates new challenges for IT. Growth of business-critical wireless access, cloud-based services and bandwidth intensive multimedia and collaboration tools set the stage for performance bottlenecks impacting employees, customers, and business productivity. Wi-Fi technology continues to jump ahead with multi-gigabit Wi-Fi 6 (802.11ax) and Wi-Fi 5 (802.11ac) APs and now the wired network must upgrade to a foundation that takes full advantage of this increased performance capacity. Today's cabling systems were designed for 1 Gigabit Ethernet and moving up to 10 Gigabit Ethernet has often required extensive wiring upgrades. Fortunately, the IEEE 802.3bz standard for multi-gigabit Ethernet delivers both high speed and power for Wi-Fi 6 and Wi-Fi 5 APs, while using existing CAT5e and CAT6 twisted pair wiring, saving the rip and replace expense and complexity of new cabling infrastructure. At HPE Aruba Networking, a Hewlett Packard Enterprise company, we call this multi-gigabit Ethernet technology, HPE Smart Rate.

Demands reshaping the network

The skyrocketing use of smartphones, tablets and IoT devices combined with high-bandwidth workloads moving across wireless networks requires that the network infrastructure evolve to meet these demands. This transformation means enterprises need to upgrade their WLAN infrastructure to support increased traffic, performance and security requirements. With an increasing number of mobile and IoT devices reliant on wireless access, networks must be capable of accommodating a diverse mixture of device types, applications and services. This is reflected in the emergence — and rapid adoption — of high-performance APs such as 802.11ax access points. There are several important factors driving the transition to Wave 2.

- **Mobile Traffic Growth:** IoT devices, BYOD and unified communications (UC) adoption will continue to increase WLAN bandwidth demands.
- **Access Capacity:** New high-performance devices are significantly increasing bandwidth capacity demands on supporting switch cabling infrastructure to nearly 5Gbps.

When enterprises replace legacy APs, they will see an immediate increase in WLAN capacity. However, one bottleneck remains that could prevent many businesses from capitalizing on these advancements — the existing cabling infrastructure and the speed of the switch port that the AP is connected to. Most of the Ethernet cabling deployed worldwide today is limited to 1Gbps at 100 meters. Until now, adding bandwidth has meant major new cabling investments.



Futureproof the wired network

HPE Smart Rate multi-gigabit Ethernet technology solves this cabling bottleneck without ripping and replacing existing twisted-pair cabling the existing cabling infrastructure can be leveraged to protect existing investments and simplify upgrades to higher speed solutions.

What is HPE Smart Rate?

HPE Smart Rate is a multi-gigabit twisted-pair network interface that is interoperable with the NBASE-T ecosystem of 2.5/5Gbps products as well as with existing industry standard 1GbE/10GbE devices. It allows the majority of existing cable installations found in campus and branch LAN environments to provide higher bandwidth connectivity, distribute PoE power to connected devices, and secure the wired-link for next-generation wireless investments.

- Smart Rate delivers 2.5-10 times more bandwidth capacity from existing cable infrastructure without expensive and disruptive cable upgrades.
- Smart Rate multi-gig switch ports support speeds of 100Mbps¹, 1GbE, 2.5GbE, 5GbE and 10GbE¹.
- With high power IEEE 802.3bt switches, Smart Rate switch ports provide up to 60W of Power over Ethernet, regardless of the port speed. The mechanism used in Smart Rate for delivering and receiving power over twisted-pair structured cabling is fully compatible with IEEE 802.3bt and IEEE 802.3at PoE specifications.
- Smart Rate ports are auto-negotiating, which enables the Ethernet link to settle into the highest speed that can be achieved on a given cable configuration.

Cabling considerations

- Factors such as cable type and environmental noise influence the maximum cable length of the link. The presence of environmental noise (often referred to as Alien Noise or Alien Crosstalk) significantly degrades the link's Signal-to-Noise Ratio (SNR) and can restrict the maximum cable reach of the link. 2.5Gbps mode will be a very convenient upgrade as it is supported on the same cable types as 1Gbps. Distances supported for Ethernet speeds and cable type available below in table 1:

| HPE Smart Rate features | Benefits |
|---|---|
| Multi-rate 100Mbps ¹ , 1GbE, 2.5GbE, 5GbE and 10GbE ¹ with auto negotiation on a single switch port with support for operation over twisted-pair cabling. | Provides additional bandwidth, which is required because of the increasing demand in mobile campus environments, for now and into the future. |
| Higher-speed Ethernet on existing cabling infrastructure. | Uses existing cabling infrastructure while providing added bandwidth to emerging WLAN and data intensive access applications. Uplink at 5G over CAT5e or better. |
| IEEE 802.3 capable 1Gbps and 10Gbps modes interoperate with existing 1Gbps and 10Gbps ports. | Protects investments in existing switch-to-switch infrastructure while providing the flexibility to move to 2.5Gbps or 5Gbps, when needed. |
| IEEE 802.3 capable 30W Power over Ethernet on all link speeds | Powers existing and future access points and accessories, regardless of their bandwidth and link speed requirement. |
| IEEE 802.3bt capable 60W Power over Ethernet on all link speeds (select models) | Backwards compatibility with existing PoE/PoE+ devices allow customers to continue to power existing APs and accessories. Provides future proofing of PoE and data bandwidth needs for the next generation APs and powered accessories. |

¹ Not all switch Smart Rate ports support 10Gbps or 100Mbps. See product datasheet for detail.



Table 1.

| Mode | Cable type | Cable length |
|--|----------------------------|---|
| 1Gbps (1000BASE-T); 100Mbps (100BASE-T) | CAT5e/Class D or better | Up to 100 meters |
| 2.5Gbps Available when link partner is either 802.3bz- compliant, HPE Smart Rate, or NBASE-T compliant. | CAT5e/Class D or better | Up to 100 meters |
| 5Gbps Available when link partner is either 802.3bz- compliant, HPE Smart Rate, or NBASE-T compliant. | CAT5e/Class D | Up to 55 meters in a high Alien noise environment |
| | | Up to 100 meters in a low Alien noise environment |
| | Shielded CAT5e/Class D | Up to 100 meters |
| 10Gbps (10GBASE-T) | CAT6/Class E or better | Up to 100 meters |
| | CAT6/Class E | Up to 55 meters |
| | CAT6A/Class E _A | Up to 100 meters |

Note: Class E_A requirements in ISO/IEC 11801

Support for multi-gigabit Ethernet standards

HPE Aruba Networking consistently delivers standards-compliant, rather than proprietary solutions to the marketplace. HPE Smart Rate technology was first to market and is interoperable with the NBASE-T ecosystem of 2.5G and 5G multi-gigabit Ethernet products today and the IEEE 802.3bz standard. The Power over Ethernet on Smart Rate technology is based on IEEE 802.3bt and IEEE 802.3at standards which provides up to 60W (PSE)/51W (PD) on class 6 capable ports and 30W (PSE)/25.5W (PD) on PoE+ capable ports.

HPE Aruba Networking leads at the edge

In most organizations, infrastructure complexity and downtime lead to productivity and user experience concerns. HPE Aruba Networking’s Unified Infrastructure — a key part of HPE Aruba Networking ESP — solves this by unifying wired, wireless, and SD-WAN infrastructure under a cloud-native single pane of glass. With this best-in-class unified portfolio, Gartner has once again named HPE Aruba Networking a Leader in the 2020 Magic Quadrant for Wired and Wireless LAN Access.

WLAN


HPE Aruba Networking’s Wi-Fi 6 and Wi-Fi 5 APs, deliver amazing experiences whether indoor or outside, on a video call, or using that new IoT device. As networks become more mission critical and organizations use voice and video over Wi-Fi, both the wired and wireless networks need to be designed to support these applications for a good, productive user experience.





Switching

HPE Aruba Networking's network switch portfolio provides a unified operating model from the edge to data center that's reliable, easy to manage, and fits your growing needs. Scalable, innovative platforms deliver power and performance with security, policy and application optimization for enterprise, small and medium businesses, and branch office networks.



Product support and migration services

HPE Services — Aruba Networking offer project lifecycle and support services for HPE Aruba Networking solutions. Our network specialists will help create a clear transition plan to migrate your existing networks to newer standards and architectures, including wired and wireless network integration.

Professional Services brings the networking expertise required to integrate new and existing products and technologies. Our wireless services experts will help deliver and expedite WLAN assessment, design, and integration. Service feature highlights include pre-deployment service planning; WLAN site survey and assessment; WLAN design; and WLAN integration planning.

Once the HPE Aruba Networking network is in place, Foundational Care support will keep it running smoothly by providing the right level of ongoing support required to maintain your business-critical network. Only through Foundational Care do you benefit from expanded 24x7 coverage, priority access to the HPE Aruba Networking Technical Assistance Center (TAC), guidance on design, configuration and other best practices, more rapid hardware replacement, and comprehensive software support. Learn more at arubanetworks.com/support-services/overview/.



Summary

The transition to the digital workplace requires that the enterprise network evolve to support the demands of a highly mobile workforce and the anticipated increase in IoT devices. HPE Smart Rate multi-gigabit Ethernet provides the needed bandwidth capacity for constrained wired networks and gives investment protection for IT departments who want to futureproof their network infrastructure as new wireless technologies emerge. Smart Rate technology supports data rates of 1, 2.5, 5 and even 10Gbps with PoE power over existing twisted pair wiring and is available on HPE Aruba Networking's integrated wired and wireless portfolio.

Learn more at

arubanetworks.com/products/multi-gigabit-ethernet/

Make the right purchase decision.
Contact our presales specialists.



Get updates