

PRODUCT FAMILY DATASHEET

Door LED Down

Mobile luminaire for entrance areas, light outlet down



AREAS OF APPLICATION

- For a very large range of uses
- Indoor and outdoor
- Entrance lighting
- Corridors
- Patios, balconies

PRODUCT BENEFITS

- Attractive and functional design
- Economical operation due to low power consumption
- Easy and quick installation
- Accessories for flexible mounting options included

PRODUCT FEATURES

- Integrated light and motion sensor
- Available in two housing colors
- Type of protection: IP54




TECHNICAL DATA

Product description	Electrical data				Photometrical data				Dimensions & weight		
	Operating mode	Nominal wattage	Nominal voltage	Mains frequency	Color temperature	Luminous flux	Light color (designation)	Color rendering index Ra	Length	Width	Height
DoorLED Down White	Battery	0.55 W	4.5 V	0 Hz	4000 K	40 lm	Cool White	>80	102.5 mm	92.4 mm	36.5 mm
DoorLED Down Silver	Battery	0.95 W	4.5 V	0 Hz	4000 K	40 lm	Cool White	>80	102.5 mm	92.4 mm	36.5 mm

Product description	Product weight	Colors & materials		Temperatures & operating conditions	Lifespan	Capabilities		Certificates & standards	
		Body material	Product color	Ambient temperature range	Lifespan	Dimmable	Type of sensor	Protection class	Type of protection
DoorLED Down White	154.00 g	Polycarbonate (PC)	White	0...25 °C	25000 h	No	Passive infrared (PIR)	III	IP54
DoorLED Down Silver	154.00 g	Polycarbonate (PC)	Silver	0...25 °C	25000 h	No	Passive infrared (PIR)	III	IP54

Product description	Standards
DoorLED Down White	CE
DoorLED Down Silver	CE



DoorLED Down White, DoorLED Down Silver

EQUIPMENT / ACCESSORIES

- Batteries included: 4x 1.5 V LR6 (AA)

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075027275	DoorLED Down White	Shipping carton box 6	247 mm x 154 mm x 210 mm	7.99 dm ³	1183.00 g
4058075027299	DoorLED Down Silver	Shipping carton box 6	247 mm x 154 mm x 210 mm	7.99 dm ³	1195.00 g

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
--------------	---------------------	------------------------------	--------------------------------------	--------	--------------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.