

Product Environmental Profile

AV Interface – Quick-Connect and OneLINK

Quick-Connect USB Video Interface, OneLINK HDMI Extension for Vaddio HDBaseT Cameras, and OneLINK Bridge for Vaddio HDBaseT Cameras



COMPANY OVERVIEW

● **Sustainability built in to support our associates, customers, and the environment**

At Legrand North and Central America, we're committed to leading by example within our own operations, to developing high quality solutions for our customers' High-Performance Buildings, and to transforming how people live and work – more safely, more comfortably, more efficiently.

● **Better Performance**

A core principle of designing for sustainability drives us to innovate products and systems that enable buildings to reach exceptional levels of performance, bringing about industry-leading ideas, inventions and initiatives.

● **Better Operations**

A commitment to a leadership role in operational excellence through environmental management, optimizing the way we manage energy, water and waste.

● **Better Lives**

A dedication to enhancing employee and community welfare through programs that help people enjoy healthier, more productive and more rewarding lives.

For more information on Legrand's PEPs and other sustainability initiatives, visit legrand.us/about-us/sustainability.



LEGRAND'S ENVIRONMENTAL COMMITMENTS

● **Incorporate environmental management into our industrial sites**

Of all Legrand sites worldwide, over 85% are ISO 14001 certified (sites belonging to Legrand for more than five years).

● **Offer our customers environmentally friendly solutions**

Develop innovative solutions to help our customers design more energy efficient, better managed and more environmentally friendly installations.

● **Involve the environment in product design**

Reduce the environmental impact of products over their whole life cycle.

Provide our customers with all relevant information (composition, consumption, end of life, etc.).



REFERENCE PRODUCT

Function	Room based HD Media Streaming solution enabling IP or USB streaming for a period of 10 years.
Reference Product	
	SKU 999-1105-038
	Quick-Connect USB Video Interface

The company reserves the right to change specifications and designs without notice. All illustrations, descriptions, dimensions and weights in the document are for guidance and cannot be held binding on the company.

Product Environmental Profile

AV Interface – Quick-Connect and OneLINK

Quick-Connect USB Video Interface, OneLINK HDMI Extension for Vaddio HDBaseT Cameras, and OneLINK Bridge for Vaddio HDBaseT Cameras



PRODUCTS CONCERNED

The environmental data is representative of the following products: OneLINK HDMI Extension for Vaddio HDBaseT Cameras (999-1105-043) and OneLINK Bridge for Vaddio HDBaseT Cameras (999-9595-000).



CONSTITUENT MATERIALS

This Reference Product contains no substances prohibited by the regulations applicable at the time of its introduction to the market. It respects and complies with the restrictions on use of hazardous substances as defined in the RoHS directive 2011/65/EC.

Total weight of Reference Product with unit packaging	1,522 g
--------------------------------------------------------------	----------------

Plastics as % of weight		Metals as % of weight		Others as % of weight	
Product					
PET	1.2%	Aluminum	30.5%	Power supply	22.0%
PU	0.1%	Steel	1.5%	Electric circuit board	20.7%
Ethylene butyl acrylate	<0.1%	Zinc	0.1%		
Polyimide	<0.1%				
Packaging					
LLDPE	1.1%			Cardboard	22.4%
				Paper	0.5%
Total plastics	2.5%	Total metals	32.0%	Total others	65.6%



MANUFACTURING

This Reference Product comes from a site that observes the applicable legislation for industrial sites.



DISTRIBUTION

Products are distributed from logistics centers located to optimize transport efficiency using EPA SmartWay® certified carriers to reduce greenhouse gas emissions. Information on the distance of distribution is not available so the PCR hypothesis for “Intracontinental transport”, 2175 miles (3500 km) by heavy truck, was used. This represents transportation of the Reference Product from our warehouse to the local point of distribution in the North American market.

Product Environmental Profile

AV Interface – Quick-Connect and OneLINK

Quick-Connect USB Video Interface, OneLINK HDMI Extension for Vaddio HDBaseT Cameras, and OneLINK Bridge for Vaddio HDBaseT Cameras



INSTALLATION

For the installation of the product, only standard tools are needed.



USE

Servicing and maintenance:

Under normal conditions of use, this type of product requires no servicing or maintenance.

Consumable:

No consumables are necessary to use this type of product.



END OF LIFE

• **Hazardous waste* contained in the product:** no hazardous waste
 (*) Hazardous waste as defined by European Commission decision 2000/532/EC.

• **Recycling rate:**

Calculated using the disposal pathway described in US EPA’s Advancing Sustainable Materials Management: 2018 Facts and Figures Report, the recyclability rate of the Reference Product is estimated as 43.1%. This value is based on data collected from a technological channel using industrial procedures. It does not pre-validate the effective use of this product for end-of-life electrical and electronic products.

Separated into:	(% mass of Reference Product with packaging)
- plastic materials:	0.1%
- metal materials:	10.9%
- other materials:	16.4%

Recycling rate of packaging	(% mass of Reference Product with packaging)
- all types of materials:	15.7%



ENVIRONMENTAL IMPACTS

The evaluation of environmental impacts examines the stages of the Reference Product life cycle: manufacturing, distribution, installation, use, and end of life. It is representative of products marketed and used in North America.

The following modelling elements were taken into account:

Manufacturing	Packaging taken into account. As required by the PEP ecopassport program, all transport for the manufacturing of the Reference Product, including materials and components, has been taken into account. The waste generated during manufacturing phase has been taken into account.
Distribution	Transport between the last distribution center and an average delivery to the sales area. The default scenario modelled maximizes the environmental impact using the PCR hypothesis for “local transport”: 2175 miles (3500 km) by heavy truck.
Installation	The end of life of the packaging (0.36 kg) is taken into account at this phase. Transport of packaging to end of life treatment is taken into account at this phase.
Use	<ul style="list-style-type: none"> • Under normal conditions of use, this type of product requires no servicing or maintenance. • No consumables are necessary to use this type of product. • Use scenario: 16.38 W power consumption during the 10-year working life. Eight hours per day and 261 workdays per year. • Energy model: Electricity (US) – 2009
End of life	The end-of-life scenario models the environmental impact using PCR hypothesis for “intracontinental transport”: 621 miles [1000 km].
Software used	EIME V5.9.1 and its database “CODDE-2020-12” and the indicators defined in the PCR ed 3 in alignment with the EN15804 standard

Product Environmental Profile

AV Interface – Quick-Connect and OneLINK


Quick-Connect USB Video Interface, OneLINK HDMI Extension for Vaddio HDBaseT Cameras, and OneLINK Bridge for Vaddio HDBaseT Cameras



ENVIRONMENTAL IMPACTS (continued)

	Total for Life cycle		Raw material and manufacturing		Distribution		Installation		Use		End of life	
	Value	Unit	Value	%	Value	%	Value	%	Value	%	Value	%
Global warming (GW)	4.14E+02	kg CO ₂ eq.	1.76E+02	43%	2.65E-01	0%	1.50E-01	0%	2.37E+02	57%	9.02E-02	0%
Ozone depletion (OD)	1.83E-05	kg CFC-11 eq.	1.40E-05	77%	5.37E-10	0%	4.12E-10	0%	4.29E-06	23%	4.83E-09	0%
Acidification of soil and water (A)	4.61E-01	kg SO ₂ eq.	2.32E-01	50%	1.19E-03	0%	9.40E-05	0%	2.27E-01	49%	3.13E-04	0%
Water eutrophication (WE)	1.22E-01	kg PO ₄ ³⁻ eq.	6.13E-02	50%	2.74E-04	0%	2.70E-04	0%	5.98E-02	49%	2.09E-04	0%
Photochemical ozone creation (POCP)	5.93E-02	kg C ₂ H ₄ eq.	2.29E-02	39%	8.47E-05	0%	3.56E-05	0%	3.63E-02	61%	2.94E-05	0%
Depletion of abiotic resources - elements (ADPe)	1.33E-02	kg Sb eq.	1.33E-02	100%	1.06E-08	0%	8.49E-10	0%	2.33E-06	0%	3.20E-09	0%
Total use of primary energy (PE)	5.70E+03	MJ	2.50E+03	44%	3.75E+00	0%	2.87E-01	0%	3.19E+03	56%	1.32E+00	0%
Net use of fresh water (FW)	1.79E+00	m ³	1.37E+00	77%	2.37E-05	0%	6.86E-05	0%	4.19E-01	23%	8.39E-05	0%
Depletion of abiotic resources – fossil fuels (ADPf)	5.14E+03	MJ	2.25E+03	44%	3.73E+00	0%	2.74E-01	0%	2.88E+03	56%	1.12E+00	0%
Water pollution (WP)	2.36E+04	m ³	1.18E+04	50%	4.36E+01	0%	1.14E+01	0%	1.17E+04	50%	1.14E+01	0%
Air pollution (AP)	3.69E+04	m ³	1.68E+04	46%	1.09E+01	0%	1.43E+00	0%	2.01E+04	54%	8.54E+00	0%

The values of the 27 impacts defined in the PCR-ed3-EN-2015 04 02 are available in the digital database of pep-ecopassport.org website. The environmental impacts of the Reference Product are representative of the products covered by the PEP, which therefore constitute a homogeneous environmental family.



The environmental impact of the Reference Product occurs predominantly during the use phase.

Product Environmental Profile

AV Interface – Quick-Connect and OneLINK

Quick-Connect USB Video Interface, OneLINK HDMI Extension for Vaddio HDBaseT Cameras, and OneLINK Bridge for Vaddio HDBaseT Cameras



ENVIRONMENTAL IMPACTS (continued)

For products other than the Reference Product, the environmental impacts for Distribution are proportional to the mass of the reference Product. The impacts for Manufacturing, Installation, Use, and End of Life of the various products in the family should then be multiplied by the corresponding values for the applicable products in the table below.

999-1105-043 (OneLINK HDMI Extension System for HDBaseT Cameras)	Manufacturing	Distribution	Installation	Use	End of Life
GWP [kg CO ₂ e]	0.8	0.9	0.6	1.1	1
OPD [kg CFC-11 eq]	1.2	0.9	0.6	1.1	0.9
A [kg SO ₂ e]	0.8	0.9	0.6	1.1	1
EP [kg PO ₄ ³⁻ eq.]	0.8	0.9	0.5	1.1	1.1
POCP [kg C ₂ H ₄ eq]	0.8	0.9	0.5	1.1	1
ADPE [kg Sb eq]	1.3	0.9	0.6	1.1	1.1
ADPF [MJ]	0.7	0.9	0.6	1.1	1
WP [m ³]	0.5	0.9	0.6	1.1	1
AP [m ³]	0.6	0.9	0.6	1.1	1
TPE [MJ]	0.9	0.9	0.5	1.1	1
FW [m ³]	0.6	0.9	0.6	1.1	1

999-9595-000 (OneLINK Bridge A/V Interface Receiver for HDBaseT Cameras)	Manufacturing	Distribution	Installation	Use	End of Life
GWP [kg CO ₂ e]	1	1	0.6	1.1	1.1
OPD [kg CFC-11 eq]	1.7	1	0.6	1.1	1.1
A [kg SO ₂ e]	1.1	1	0.6	1.1	1.1
EP [kg PO ₄ ³⁻ eq.]	1.1	1	0.5	1.1	1.2
POCP [kg C ₂ H ₄ eq]	1.1	1	0.5	1.1	1.1
ADPE [kg Sb eq]	2.2	1	0.6	1.1	1.2
ADPF [MJ]	0.9	1	0.6	1.1	1.1
WP [m ³]	0.7	1	0.7	1.1	1.1
AP [m ³]	0.8	1	0.6	1.1	1.1
TPE [MJ]	1.2	1	0.5	1.1	1.1
FW [m ³]	0.9	1	0.6	1.1	1.1

Registration number: LGRP-01558-V01.01-EN	Drafting rules: "PCR-ed3-EN-2015 04"
Verifier's accreditation number: VH43	Information and reference documents: www.pep-ecopassport.org
Date of issue: 09-2022	Validity period: 5 years

Product Environmental Profile

AV Interface – Quick-Connect and OneLINK

Quick-Connect USB Video Interface, OneLINK HDMI Extension for Vaddio HDBaseT Cameras, and OneLINK Bridge for Vaddio HDBaseT Cameras



ENVIRONMENTAL IMPACTS (continued)

Independent verification of the declaration and data, in compliance with ISO 14025:2010	
Internal <input type="checkbox"/> External <input checked="" type="checkbox"/>	
The PCR Review was conducted by a panel of experts chaired by Philippe Osset (SOLINNEN).	
The elements of the present PEP cannot be compared with elements from another program.	
Document in compliance with ISO 14025:2010: "Environmental labels and declarations - Type III environmental declarations"	
In compliance with ISO 14040:2006: "Environmental management – LCA – Principles and framework" In compliance with ISO 14044:2006: "Environmental management – LCA – Requirements and guidelines"	