

PRODUCT FAMILY DATASHEET

Linear LED Turn

Undercabinet luminaire with tilt function



AREAS OF APPLICATION

- Undercabinet lighting
- For indoor use only

PRODUCT BENEFITS

- Easy and quick series connection thanks to simple plug system
- Very homogenous light
- Connection of up to 10 luminaires in a row

PRODUCT FEATURES

- Housing material: aluminum



TECHNICAL DATA

Product description	Electrical data				Photometrical data				Dimensions & weight		
	Operating mode	Nominal wattage	Nominal voltage	Mains frequency	Color temperature	Luminous flux	Light color (designation)	Color rendering index Ra	Length	Width	Height
LINEAR LED TURN 6 W 3000 K	Integrated LED driver	6.00 W	100...240 V	50/60 Hz	3000 K	380 lm	Warm White	>80	357.0 mm	60.0 mm	24.0 mm
LINEAR LED TURN 10 W 3000 K	Integrated LED driver	10.00 W	100...240 V	50/60 Hz	3000 K	600 lm	Warm White	>80	557.0 mm	60.0 mm	24.0 mm

Product description	Colors & materials			Lifespan	Capabilities		Certificates & standards	
	Body material	Product color	Cover material	Lifespan	Dimmable	Type of connection	Protection class	Type of protection
LINEAR LED TURN 6 W 3000 K	Aluminum	Silver	Polycarbonate (PC)	30000 h	No	Plug, EU	II	IP20
LINEAR LED TURN 10 W 3000 K	Aluminum	Silver	Polycarbonate (PC)	30000 h	No	Plug, EU	II	IP20



LINEAR LED TURN 6 W 3000 K

LINEAR LED TURN 10 W 3000 K

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075026520	LINEAR LED TURN 6 W 3000 K	Shipping carton box 20	442 mm x 363 mm x 185 mm	29.68 dm ³	8506.00 g
4058075026544	LINEAR LED TURN 10 W 3000 K	Shipping carton box 20	635 mm x 363 mm x 185 mm	42.64 dm ³	10678.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

- Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.