

PRODUCT FAMILY DATASHEET

ENDURA STYLE SHIELD

Luminaires with modern design and light outlet up and down



AREAS OF APPLICATION

- Outdoor
- Building facades
- Entrance lighting

PRODUCT BENEFITS

- Energy-efficient thanks to LED technology
- 5 years guarantee
- Easy and quick installation

PRODUCT FEATURES


- Bright and functional outdoor LED luminaires
- Type of protection: IP44
- Die-cast aluminum housing
- Available in round and square form



TECHNICAL DATA

Product description	Electrical data				Photometrical data				Dimensions & weight		
	Operating mode	Nominal wattage	Nominal voltage	Mains frequency	Color temperature	Luminous flux	Light color (designation)	Color rendering index Ra	Length	Width	Height
ENDURA STYLE Shield RD 11 W DG	Mains voltage	10.50 W	220...240 V	50/60 Hz	3000 K	400 lm	Warm White	>80	60.0 mm	240.0 mm	142.0 mm
ENDURA STYLE Shield SQ 11 W DG	Mains voltage	10.50 W	220...240 V	50/60 Hz	3000 K	410 lm	Warm White	>80	60.0 mm	240.0 mm	142.0 mm

Product description	Colors & materials			Temperatures & operating conditions	Lifespan	Capabilities		Certificates & standards	
	Body material	Product color	Cover material	Ambient temperature range	Lifespan	Dimmable	Type of connection	Protection class	Type of protection
ENDURA STYLE Shield RD 11 W DG	Aluminum	Dark gray	Polymethylmethacrylate (PMMA)	-20...40 °C	30000 h	No	Terminal	I	IP44
ENDURA STYLE Shield SQ 11 W DG	Aluminum	Dark gray	Polymethylmethacrylate (PMMA)	-20...40 °C	30000 h	No	Terminal	I	IP44



EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075031739	ENDURA STYLE Shield RD 11 W DG	Shipping carton box 6	430 mm x 300 mm x 290 mm	37.41 dm ³	6531.00 g
4058075031753	ENDURA STYLE Shield SQ 11 W DG	Shipping carton box 6	430 mm x 300 mm x 290 mm	37.41 dm ³	6694.00 g

- The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

REFERENCES / LINKS

For Guarantee see

- ▶ www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.