

PRODUCT FAMILY DATASHEETENDURA STYLE SQUARE

Wall and ceiling luminaires with modern design in square shape



AREAS OF APPLICATION

- Outdoor
- Building facades
- Patios, balconies

PRODUCT BENEFITS

- Energy-efficient thanks to LED technology
- 5 years guarantee
- Easy and quick installation

PRODUCT FEATURES


- Bright and functional outdoor LED luminaires
- Type of protection: IP44
- Die-cast aluminum housing
- Available in two housing colors



TECHNICAL DATA

	Electrical data				Photometrical data				Dimensions & weight		
Product description	Operating mode	Nominal wattage	Nominal voltage	Mains frequency	Color temper- ature	Luminous flux	Light color (designation)	Color render- ing index Ra	Length	Width	Height
ENDURA STYLE Square SQ 13 W DG	Mains voltage	13.00 W	220240 V	50/60 Hz	3000 K	480 lm	Warm White	>80	202.0 mm	202.0 mm	45.0 mm
ENDURA STYLE Square SQ 13 W WT	Mains voltage	13.00 W	220240 V	50/60 Hz	3000 K	600 lm	Warm White	>80	202.0 mm	202.0 mm	45.0 mm

	Colors & materials		Temperatures & operating conditions	Lifespan	Capabilities		Certificates & standards		
Product description	Body material	Product color	Cover material	Ambient temperature range	Lifespan	Dimmable	Type of connection	Protection class	Type of protection
ENDURA STYLE Square SQ 13 W DG	Aluminum	Dark gray	Polycarbonate (PC)	-2040 °C	30000 h	No	Fixed connection (terminal)	ı	IP44
ENDURA STYLE Square SQ 13 W WT	Aluminum	White	Polycarbonate (PC)	-2040 °C	30000 h	No		I	IP44



ENDURA STYLE Square SQ 13 W DG, ENDURA STYLE Square SQ 13 W WT

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075031692	ENDURA STYLE Square SQ 13 W DG	Shipping carton box 6	470 mm x 255 mm x 215 mm	25.77 dm³	6833.00 g
4058075031715	ENDURA STYLE Square SQ 13 W WT	Shipping carton box 6	470 mm x 255 mm x 215 mm	25.77 dm ³	7038.00 g

— The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

REFERENCES / LINKS

For Guarantee see

www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.