

# PRODUCT FAMILY DATASHEET

## NIGHTLUX Stair

Nightlights for stairs illumination, battery-powered



---

### AREAS OF APPLICATION

- For a very large range of uses
- Indoor and outdoor
- Stairways
- Along corridors for way-finding
- Entrances / Hallways

---

### PRODUCT BENEFITS

- Attractive and functional design
- Economical operation due to low power consumption
- Easy and fast mounting on nearly every surface (adhesive tape or screws)
- Accessories for flexible mounting options included

---

### PRODUCT FEATURES

- Integrated light and motion sensor
- Available in two housing colors
- Switch for Auto- or On/Off-Mode
- Type of protection: IP54
- Downward light emission for floor illumination




## TECHNICAL DATA

Product description	Electrical data				Photometrical data				Dimensions & weight		
	Operating mode	Nominal wattage	Nominal voltage	Mains frequency	Color temperature	Luminous flux	Light color (designation)	Color rendering index Ra	Length	Width	Height
NIGHTLUX Stair White	Battery	0.25 W	4.5 V	0 Hz	4000 K	10 lm	Cool White	>80	28.0 mm	84.0 mm	73.0 mm
NIGHTLUX Stair Silver	Battery	0.25 W	4.5 V	0 Hz	4000 K	10 lm	Cool White	>80	28.0 mm	84.0 mm	73.0 mm

		Colors & materials		Temperatures & operating conditions	Lifespan	Capabilities		Certificates & standards	
Product description	Product weight	Body material	Product color	Ambient temperature range	Lifespan	Dimmable	Type of sensor	Protection class	Type of protection
NIGHTLUX Stair White	95.00 g	Acrylonitrile butadiene styrene (ABS)	White	0...25 °C	25000 h	No	Passive infrared (PIR)	III	IP54
NIGHTLUX Stair Silver	95.00 g	Acrylonitrile butadiene styrene (ABS)	Silver	0...25 °C	25000 h	No	Passive infrared (PIR)	III	IP54

Product description	Standards
NIGHTLUX Stair White	CE/RoHS/REACH
NIGHTLUX Stair Silver	CE/RoHS/REACH



NIGHTLUX Stair White, NIGHTLUX Stair Silver

EQUIPMENT / ACCESSORIES

- Batteries included: 3x1.5 V LR03 (AAA)

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075030589	NIGHTLUX Stair White	Shipping carton box 6	198 mm x 154 mm x 210 mm	6.40 dm <sup>3</sup>	867.00 g
4058075030602	NIGHTLUX Stair Silver	Shipping carton box 6	198 mm x 154 mm x 210 mm	6.40 dm <sup>3</sup>	862.00 g

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
--------------	---------------------	------------------------------	--------------------------------------	--------	--------------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.