

# PRODUCT FAMILY DATASHEET

## LED Retrofit CLASSIC P Mirror

LED lamps, classic mini-ball shape with mirror bulb crown



---

### AREAS OF APPLICATION

- General illumination
- Mirror lighting
- Outdoor applications only in suitable luminaires

---

### PRODUCT BENEFITS

- Long lifetime of up to 15,000 h
- Low energy consumption
- Easy relamping thanks to compact design
- Instant 100 % light, no warm-up time
- Clear lamps with innovative LED "filament" technology

---

### PRODUCT FEATURES

- Bulb crown coating: gold or silver
- Mercury-free lamps




TECHNICAL DATA

Product description	Electrical data		Photometrical data				Light technical data		Dimensions & weight	Lifespan
	Nominal wattage	Nominal voltage	Color temperature	Color rendering index Ra	Lumen main.fact.at end of nom.life time	Light color (designation)	Warm-up time (60 %)	Starting time	Overall length	Nominal lamp life time
ST CLAS P 34 4 W/827 E14 <sup>1)</sup>	4.00 W	220...240 V	2700 K	≥80	0.70	Warm White	< 0.50 s	< 0.5 s	78.0 mm	15000 h

Product description	Number of switching cycles	Additional product data		Capabilities	Certificates & standards		Country specific categorizations	
		Base (standard designation)	Mercury-free	Dimmable	Energy efficiency class	Energy consumption	ILCOS	
ST CLAS P 34 4 W/827 E14 <sup>1)</sup>	100000	E14	Yes	No	A+	4 kWh/1000h	DRBP/C-4/827-220/240-E14-45	

1) All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value



ST CLAS P 34 4 W/827 E14

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

---

**LOGISTICAL DATA**

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075809000	ST CLAS P 34 4 W/827 E14	Shipping carton box 6	285 mm x 153 mm x 136 mm	5.93 dm <sup>3</sup>	360.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

**DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.