

3ft (91cm) Panel Mount DisplayPort Cable - 4K x 2K - DisplayPort 1.2 Extension Cable Male to Female - DP Video Extender Cord with Panel Mount DP Connector - DP Monitor Cable

**Product ID:** DPPNLFM3



This 3ft panel mount DisplayPort cable features a DisplayPort male connector on one end, and a DisplayPort panel mount (female) molded connector on the other, providing a well-secured, easy to access DisplayPort connection on any machine port or faceplate.

Backed by StarTech.com's Lifetime Warranty

## Certifications, Reports and Compatibility



## Applications

- Extend your DisplayPort interface and allow you screw mount it to a panel

## Features

- **PANEL MOUNT DISPLAYPORT CABLE:** 3ft (91 cm) DisplayPort v1.2 male to female extender cable; 4K x 2K (3840x2400p 60Hz), 21.6 Gbps bandwidth , HBR2, 8Ch Audio, Multi-Stream Transport (MST), GTC for precise audio channel timing & 3D Stereo (2560x1600p 120Hz)
- **RELIABLE DESIGN:** Durable molded female connector with two 4-40 screws to secure on to a machine faceplate/port; Flexible PVC strain relief & jacket prevent fraying/damage due to bending/rough usage; Latching connector prevents accidental disconnection

- **QUALITY CONSTRUCTION:** 28AWG wire with gold-plated pins for improved signal integrity and reliability; DisplayPort panel mount cable / video cord has superior EMI shielding with double sided copper foil to provide higher quality video and audio
- **APPLICATIONS:** Add extra 3ft to your DP cables; DisplayPort extension cable for home/offices/boardrooms/classrooms; works with your professional workstations with FirePro S9000/7000, W8100/7100 graphic cards; Use w/ 1080p/UHD/4K monitors/projector/display
- **SPECS:** 3 foot (91 cm) Black DisplayPort 1.2 DP Latching Male to DP Female (panel mountable w/ 2x 4-40 UNC screws) 28 AWG PVC cable jacket, ABS connector shell Shield: Double sided copper foil Backward compatible w/ DP1.1 Lifetime Warranty

---

#### Hardware

|                       |                          |
|-----------------------|--------------------------|
| Warranty              | Lifetime                 |
| Number of Conductors  | 19                       |
| Connector Plating     | Gold                     |
| Cable Jacket Material | PVC - Polyvinyl Chloride |
| Fire Rating           | CMG                      |

---

#### Connector(s)

|             |                          |
|-------------|--------------------------|
| Connector A | 1 - DisplayPort (20 pin) |
| Connector B | 1 - DisplayPort (20 pin) |

---

#### Environmental

|                       |             |
|-----------------------|-------------|
| Operating Temperature | -20C to 80C |
| Storage Temperature   | -20C to 80C |
| Humidity              | 15 to 65%   |

---

#### Physical Characteristics

|                |                   |
|----------------|-------------------|
| Color          | Black             |
| Wire Gauge     | 28 AWG            |
| Cable Length   | 3.0 ft [0.9 m]    |
| Cable OD       | 0.3 in [7.3 mm]   |
| Product Length | 36.8 in [93.5 cm] |

|                   |                 |
|-------------------|-----------------|
| Product Width     | 1.3 in [3.4 cm] |
| Product Height    | 0.8 in [2.0 cm] |
| Weight of Product | 2.5 oz [71.0 g] |

---

#### Packaging Information

|                           |                  |
|---------------------------|------------------|
| Package Quantity          | 1                |
| Package Length            | 7.2 in [18.2 cm] |
| Package Width             | 7.8 in [19.8 cm] |
| Package Height            | 0.9 in [2.2 cm]  |
| Shipping (Package) Weight | 3.2 oz [92.0 g]  |

---

#### What's in the Box

|                     |                                                 |
|---------------------|-------------------------------------------------|
| Included in Package | 1 - 3ft DisplayPort Extension Panel Mount Cable |
|---------------------|-------------------------------------------------|

---

#### Warranty Information

|          |          |
|----------|----------|
| Warranty | Lifetime |
|----------|----------|

---

***\*Product appearance and specifications are subject to change without notice.***