

2 Port DVI Video Splitter with Audio - TAA

Product ID: ST122DVIA



The ST122DVIA DVI splitter lets you share one DVI video and audio source on two displays and acts as a signal amplifier that allows you to locate your DVI monitors up to 33ft (10 m) away from your computer or DVI signal source.

With support for high definition resolutions up to 1080p (HDTV)/1920x1200 (PC), the DVI splitter delivers a simple and convenient DVI video solution that suits virtually any application or operating environment (classroom, healthcare, professional A/V, control centres, retail POS environments).

The DVI video splitter/distribution amplifier is easy to install, providing you with flawless digital video that will help you get the most from your DVI-enabled monitors, projectors, or plasma screens.

This product is TAA compliant and backed by StarTech.com's 2-year warranty with FREE lifetime tech support.

Certifications, Reports and Compatibility



Applications

- Connect DVI projectors, monitors, large displays, and wall display systems for digital signage applications and ensuring content is delivered to target audience.
- Great for use in tradeshows, POS retail, healthcare, transportation terminals, education, house of worship.

Features

- Supports resolutions of up to 1920 x 1200 pixels @ 60 Hz
- Split both video and 3.5mm analog stereo audio
- DVI, and HDCP compliant for easier HD video distribution
- Accurate and reliable reproduction of digital video signal, with no signal attenuation or distortion
- Easy setup for a quick connection in minutes

Hardware

| | |
|--------------------|-----------------------|
| Warranty | 2 Years |
| AV Input | DVI |
| Ports | 2 |
| AV Output | DVI |
| Cabling | DVI |
| Industry Standards | DVI 1.0, and HDCP 1.1 |

Performance

| | |
|-----------------------------|------------------|
| Max Distance | 10m [33ft] |
| Maximum Digital Resolutions | 1920x1200 @ 60Hz |
| Wide Screen Supported | Yes |

Connector(s)

| | |
|-------------|---|
| Connector A | 1 - 3.5 mm Mini-Jack (3 Position) 1 - DVI-I (29 pin) |
| Connector B | 2 - 3.5 mm Mini-Jack (3 Position) 2 - DVI-I (29 pin) |

Indicators

| | |
|----------------|--|
| LED Indicators | 1 - Green - Power/Link 2 - Green - Link |
|----------------|--|

Power

| | |
|--------------|---------------------|
| Power Source | AC Adapter Included |
|--------------|---------------------|

| | |
|------------------------------|----------|
| Input Current | 0.6A |
| Output Voltage | 12V DC |
| Output Current | 1.5A |
| Center Tip Polarity | Positive |
| Plug Type | M |
| Power Consumption (In Watts) | 18W |

Environmental

| | |
|-----------------------|---------------------------|
| Operating Temperature | 0C to 40C (32F to 104F) |
| Storage Temperature | -20C to 60C (-4F to 140F) |
| Humidity | 0~80% RH |

Physical Characteristics

| | |
|-------------------|-------------------|
| Color | Black |
| Material | Aluminum |
| Product Length | 7.1 in [18.1 cm] |
| Product Width | 3.4 in [8.5 cm] |
| Product Height | 0.8 in [2.0 cm] |
| Weight of Product | 14.2 oz [401.0 g] |

Packaging Information

| | |
|---------------------------|------------------|
| Package Quantity | 1 |
| Package Length | 8.7 in [22.1 cm] |
| Package Width | 3.9 in [10.0 cm] |
| Package Height | 3.9 in [10.0 cm] |
| Shipping (Package) Weight | 1.6 lb [0.7 kg] |

What's in the Box

| | |
|---------------------|------------------|
| Included in Package | 1 - DVI splitter |
|---------------------|------------------|

4 - rubber feet

1 - universal power adapter (NA, EU, UK, ANZ)

1 - instruction manual

**Warranty
Information**

Warranty

2 Years

****Product appearance and specifications are subject to change without notice.***